

SAFES

VAULTS AND VAULT DOORS
CATALOGUE 2018



Chubb safes
Trusted the world over.

CONTENTS

FINDING YOUR SAFE	3
-------------------	---

TEST STANDARDS & PRODUCT OVERVIEW	5
-----------------------------------	---

PRODUCTS

WARRANTYPLUS	43
--------------	----

OPTIONAL FITTINGS	44
-------------------	----

TERMS & CONDITIONS	46
--------------------	----

ICONS EXPLAINED



Certified by ECB•S



Approved by
The Association of
Insurance Surveyors



Chubb Safes Recommended
Burglary & Fire
Dual Protection



Secured by Design accredited
products meeting police
approved standards

Counter Unit	8
Epsilon	9
Air & Air Hotel	10
HomeStar	11
AlphaPlus	12
HomeSafe S2 30P	13
Zeta	14
Senator	15
The Opulent Collection	16
DuoGuard	18
ProGuard	18
Custodian	20
Trident	22
Sigma Deposit	24
Omega Deposit	25
Sovereign Deposit	26
ProGuard DT	27
ForceGuard	28
HomeSafe S2 30P Security Cabinet	29
Fire File 25"	30
Fire File 31"	30
Archive Cabinet	31
Executive	32
Duplex	33
DPC	34
CS 300 Series	35
DataGuard NT	36
DataPlus+	37
2000C & 3000F SDL	38
Centurion Vault	40
Centurion Door	41
ModuleGuard	42



Eurosafe is an association of safe manufacturers in mainland Europe established over 25 years ago. A sister organisation, Eurosafe UK was launched in March 2011 to represent the interests of British safe makers, and the suppliers and installers of safes and security containers.

The primary objective of Eurosafe UK is to restore confidence in European standards for testing and rating cash safes, security cabinets, document fire safes and computer data safes.

Eurosafe UK will encourage insurers, specifiers, buyers and users to choose cash safes tested and certified by the BRE/LPCB in the UK or European test houses affiliated with the European Fire & Security Group (EFSG) or those products certified by the European Certification Board•Security (ECB•S).

Member companies will campaign to resist the lowering of security standards by manufacturing and supplying high quality, insurance approved products.

Those companies specialising in refurbishing used safes undertake to adhere strictly to BS7582: 2005 Code of practice for reconditioning of used safes.

Member companies will be encouraged to display the Eurosafe logo as a symbol of quality and ethical standards.

Secured by Design



Official Police Security Initiative

Chubb Safes is a member of Secured by Design, the flagship UK police initiative to help 'design out' crime through the use of high-quality, innovative products and processes.

In order to achieve Secured by Design status the accredited products had to adhere to rigorous test standards required by the police.

Secured by Design is the only way for products to achieve police accreditation in the UK.

MAKE SECURITY A PART OF YOUR EVERYDAY LIFE

Trusted the world over, Chubb safes is the oldest brand for safes, vaults and vault doors in the world. Chubb safes solutions are well known and appreciated for their unique combination of robustness, reliability and modern designs. Having provided high-quality protection solutions for almost two centuries, Chubb safes combines experience with innovation to create trustworthy products for maximum protection against burglary, fire and explosives. The Chubb safes solutions are rigorously tested by international and independent accreditation bodies to guarantee the best protection available.



CHOOSING A PRODUCT IS SIMPLE

Picking a new safe for the home or business can be a struggle, especially when you don't know where to start.

With Gunnebo, you can be assured that we will guide you carefully through the selection process, a process which begins by identifying your security objectives. Once complete, a number of suitable security solutions will be offered and comprehensive support given regarding the delivery and installation of the safe.

All in all, Gunnebo aims to make sure the selection process is a flexible, simple and thorough one.

PLANNING, DELIVERY & INSTALLATION

The complete service

Once you have selected a safe or cabinet, Gunnebo can offer you a comprehensive installation survey (for certain products only). Gunnebo will then agree with you a flexible installation schedule. The flexibility of the installation process is evidence of Gunnebo's commitment towards ensuring the cost and time efficient completion of your purchase.

Gunnebo products are delivered and installed by trained Gunnebo installers. Whatever the delivery environment (e.g. large bank or small office), you can be assured that the installers will take the greatest care. We are also focused on making sure the service on offer is achievable, to the highest standards of workmanship and is promptly completed within the contracted timescales.

Chubb safes
Trusted the world over.

WHICH SAFE IS RIGHT FOR YOU?

To find out which product is most suitable for your security requirements you need to answer the following questions:

- 1. What do you want to protect?
Cash, Valuables, Documents or Data media
- 2. What is the volume or size that you want to protect?

Having done this you can either choose from BRE (Burglary Resistant Equipment) or FRE (Fire Resistant Equipment) products. The BRE range includes safes, cabinets and vaults designed to protect cash and valuables. Available in differing sizes and specifications our safes offer optimum protection for up to £150,000 or £1,500,000 in valuables.

The FRE range includes files and cabinets designed to protect against fire. You can either protect data media or documents and in some cases a mixture of both. These products are rated according to their level of fire protection.

Cash Rating

Cash Rating is “The amount an insurance company will cover in a safe/cabinet overnight.”
The actual amount of cover can vary between insurance companies and locations and may be different to the manufacturer’s recommended rating. If this is important to you, you should check what cover your insurance company will offer*.
As a general rule, this rating is multiplied by a factor of 10 for jewellery. Hence, a Duoguard Grade I with a cash rating of £10,000 will store jewellery in domestic circumstances worth up to £100,000.

Fire Protection

Measured through tests carried out by Independent testing authorities.
“The longer the period in minutes, the greater the fire resistance offered. The critical temperature before paper documents combust is 177°C. Whereas, data media is damaged at temperatures over 52°C or humidity over 85%.”
Care should be taken to ensure that the test certificate held by the equipment is applicable to modern media i.e a DIS label.

Testing

To provide the appropriate level of protection for our products, Gunnebo ensures that they are tested against the latest industry internationally recognised standards. These standards vary according to whether you want to protect data media or documents. This is because the temperature at which data media (eg. 52°C) and documents (eg. 177°C) deteriorate differs according to the item protected.
To thoroughly ensure protection, data media should be stored within units carrying the DIS, Diskette or Class 125 certification levels as laid down under EN 1047-1, NT 017 and UL 72 International standards. Only in EN 1047-1 and UL Class 72 standards are internal temperatures monitored after furnace heating until they return to ambient levels, a period known as “soak out”. Assessing products during this period is essential since internal temperatures can peak up to 6 to 8 hours after a fire has been extinguished. Such a test ensures that all products are comprehensively tested and upon passing, will fully protect your data media for the 60 or 120 minutes stated.
Documentation should be kept within units carrying the P, Paper or Class 350 certification levels as laid down under EN 1047-1, NT 017, EN 15659 and UL 72 International standards respectively.

Customisation

Dependent on the product grade or size, most safes or cabinets can have a different lock (e.g. electronic), deposit option (e.g. front facing drawer trap) or fitting (e.g. cupboard) to meet your customer requirements. For example, the DataPlus can include pullout drawers so that it can hold more CDs, DVDs or diskettes.
For further details and technical information regarding customisation please feel free to contact Gunnebo or your local authorised dealer. As always, Gunnebo will endeavour to provide a customisation solution which meets your expectations.

Locking Options

As mentioned, Gunnebo can customise your safe or cabinet with a different lock.
Our comprehensive lock range includes the latest industry locks which offer a wide range of features. So whether it be the “mechanical combination” lock or a more hi-tech electronic solution, Gunnebo are sure to have a lock which will meet your security needs. We have explained the key terms associated with locks below.
If you have any additional questions please contact Gunnebo or your local Gunnebo Authorised Dealer.

DEFINITIONS
Key Lock: A manual key operated lock.
Mechanical Combination: A mechanical keyless dial lock with a changeable combination.
Electronic Lock: An electronically operated keypad lock with a changeable combination.
Manager Mode: Allows one user to control the functions of other combination holders.
Number of Users: The number of users able to program in their own access code.
Duress Feature: It is possible for an alarm engineer to link the lock into a monitored alarm system. It is then possible, by a given procedure, to operate the lock, open the safe and silently signal to the monitoring station that this is being done under duress.
Time Delay: This feature allows for a pre-set delay between operating the lock and being able to open the safe. The operation may vary between lock types.
Time Lock: Time lock allows the user to set periods during which the lock may be operated, e.g. during business hours only. The options available will vary between locks.
Audit Trail: The lock is able to give a report (it will vary in detail from model to model) of usage and may show times of operation, codes used and operations performed.
Dual Control: Allows two users to enter their details before any operation can be performed.

* NB In order to conform to the certified standards, safes weighing less than 1,000 kg should be base fixed into a solid concrete floor (recommended min C25 concrete mix). Please check with your insurance company to confirm that the installation meets with their approval.

CERTIFIED STRENGTH

To provide the appropriate level of protection, the products are tested to comply with the latest industry standards. The various certification tests carried out in independent laboratories for burglary or fire protection are conducted by experienced operators armed with plans of the product and a whole range of tools.

FOR BURGLARY PROTECTION, safes and vaults are awarded grades:

- For entry level safes, there are Grades S1 and S2 (EN 14450).
- For safes, vaults and vault doors, they are rated from Grade 0 to Grade XIII (EN 1143-1).
- High security locks are graded according to EN 1300.

During the certification process, door panels of the products, bolt works, locks and handles are tested. The certification tests include an attack programme that is devised so that various break-in attempts can be made using a selection of tools. A correlation between tool type and the time for which each one is used can be used to obtain a resistance score (resistance unit). The higher the score, the higher the level of resistance. Based on the results obtained, the safe is given a classification and then listed in a resistance grade.

FOR FIRE PROTECTION, these standards vary according to whether you want to protect paper documents, digital media or other highly sensitive objects. This is because the temperature at which data media (e.g. 52°C) and documents (e.g. 177°C) deteriorate differs according to the item protected:

- In order to fully protect data media, industry standards indicate that products should carry ECB•S EN 1047-1, UL 72 Class 125 or NT Fire 017 60/120 DIS.


The ECB•S and UL tests monitor the internal temperature of the data cabinet until it has completely cooled down during the “soakout” period. Assessing products during this period is essential, since internal temperatures can peak up to six to eight hours after a fire has been extinguished. Such tests ensure that all products are comprehensively tested and, upon passing, will fully protect your data media for the specific time period stated.

- For document protection, all products must have an appropriate industry standard 30, 60 or 120-minutes paper certificate.


UL72-Class 350, ECB•S EN 1047-1, EN 15659 or NT Fire 017 are acceptable standards for paper document protection.

LEVELS OF RESISTANCE

Alongside extremely strict standards, you will also find a number of others that are less stringent in terms of resistance.



HIGHEST ALLOWED INSIDE TEMPERATURE



STANDARDS IN BRIEF

STANDARDS	TEMPERATURE TEST	DROP TEST	PAPER	DATA MEDIA	COOLING
✓ EN 1047-1	Up to 1000°C*	9.15 metres	S 60P (60 mins.) / S 120P (120 mins.)	S 60DIS (60 mins.) / S 120DIS (120 mins.)	incl. the cooling period
✓ UL 72	Up to 1000°C*	9.15 metres**	Class 350 (1, 2 hours)	Class 125 (1, 2 hours)	incl. the cooling period
✓ EN 15659	Up to 945°C*	no	LFS 30P (30 mins.) / LFS 60P (60 mins.)	no application	not tested
✓ NT Fire 017	Up to 1000°C*	no	60 paper (60 mins.) / 120 paper (120 mins.)	60 diskettes (60 mins.) / 120 diskette (120 mins.)	not tested
✗ DIN 4102/BS 476	not tested	not tested	not tested	not tested	not tested

* Dependent on duration of fire test.

** Test UL 72 does not necessarily involve conducting a drop test.



NB. DIN 4102 and BS 476 do not guarantee that your contents will be protected in the event of a fire

EUROPEAN CERTIFICATION FOR SAFES, VAULTS AND VAULT DOORS EXPLAINED

In order to attest to the quality of a certified product, an information plate is adhered to the inside of the product. This provides you with guarantees that the product has been tested and manufactured in an environment that has been checked by the certifying body.

Below is shown the ECB-S label and the details listed on the information plate.

BURGLARY PROTECTION CERTIFICATION

SERIAL NO.

Each product can be identified by a unique serial number. This number is given by the certifying body

YEAR OF MANUFACTURE

The year that the product was manufactured

EN 1143-1/EN 14450

The European standard that the product meets

CERT. MARK. NO.


Certificate number issued by the certifying body

RESISTANCE GRADE

Resistance classes

WEIGHT

The safe's net weight. A 5% tolerance in the net weight indicated is accepted



Through partnerships entered into with the ECB-S, the bodies listed here issue identical certificates: VdS (Germany), ICIM (Italy), a2p (France), SBSC (Sweden).

FIRE PROTECTION CERTIFICATION

SERIAL NO.

Each product can be identified by a unique serial number. This number is given by the certifying body

YEAR OF MANUFACTURE

The year that the product was manufactured

EN 1047-1/EN 15659

The European standard that the product meets

CERT. MARK. NO.


Certificate number issued by the certifying body

PROTECTION CLASS

Resistance classes

WEIGHT

The safe's net weight. A 5% tolerance in the net weight indicated is accepted



Fire certification is issued by independent approved laboratories. Here are some examples of test institutes and certificates that you may encounter: ECB-S, UL, SP, VdS.

FOR MORE DETAILED INFORMATION, contact your insurance company or visit the chubb safes.com website.

SAFES, VAULTS AND VAULT DOORS BY CERTIFICATION

PRODUCT	CERTIFICATION STANDARD	PROTECTION OR RESISTANCE LEVEL	CERTIFICATION BODY
BURGLARY PROTECTION			
Air	n/a	n/a	n/a
AlphaPlus	n/a	n/a	n/a
Counter Unit	n/a	n/a	n/a
Custodian	EN 1143-1	Grade IV & V	ECB•S
Epsilon	n/a	n/a	n/a
ForceGuard	n/a	n/a	n/a
HomeStar	Domestic Safes	Silver	Sold Secure
Omega Deposit	n/a	n/a	n/a
ProGuard	EN 1143-1	Grade II to III	ECB•S
ProGuard DT	EN 1143-2	Grade DI to DII	ECB•S
Sigma Deposit	n/a	n/a	n/a
Sovereign Deposit	n/a	n/a	n/a
Zeta	EN 1143-1	Grade 0	Trezor Test
2000C SDL	No. 10-516	Safe Deposit Locker	SBSC
FIRE PROTECTION			
Archive Cabinet	n/a	n/a	n/a
CS 300 Series	EN 1047-1	S 120 P	ECB•S
DataGuard NT	NT Fire 017	120 mins Diskette	SP
DPC	UL 72	Class 350 2hr	UL
Executive	NT Fire 017 & UL 72	60 mins Paper & Class 350 1hr	SP & UL
Fire File 25"	UL 72	Class 350 1hr	UL
Fire File 31"	UL 72	Class 350 2hr	UL
COMBINED BURGLARY AND FIRE PROTECTION			
DataPlus+	EN 14450 & EN 1047-1 & UL 72	Level S2 & 120 mins Diskette & Class 125 2hr	ECB•S & UL
DuoGuard	EN 1143-1 & EN 1047-1	Grade I & S 60 P	ECB•S
Duplex	EN 14450 & EN 15659	Level S2 & LFS 60 P	ECB•S
HomeSafe S2 30P	EN 14450 & EN 15659	Level S2 & LFS 30 P	ECB•S
Senator	EN 1143-1 & EN 15659	Grade I & LFS 30 P	ECB•S
COMBINED BURGLARY AND BALLISTIC PROTECTION			
ModuleGuard	EN 1143-1 & EN 1627-30 & EN 1522	Grade II to III & RC4 & FB4	ECB•S & VdS
COMBINED BURGLARY, FIRE AND EXPLOSIVE PROTECTION			
Trident	EN 1143-1 & NT Fire 017	Grade IV to VI & Grades IV EX to VI EX & 60 mins Paper	ECB•S & SP
COMBINED BURGLARY, EXPLOSIVE AND CORE DRILL PROTECTION			
Centurion Door	EN 1143-1	Grade V - XIII Grade V - XIII (EX) Grade VIII - XIII (CD, EX)	ECB•S
Centurion Vault	EN 1143-1	Grade IV - XII Grade V - XII (EX) Grade IX - XII (CD, EX)	ECB•S



PRODUCT SHOWN: COUNTER UNIT



COUNTER UNIT

BURGLARY PROTECTION FOR BANKNOTES

KEY FEATURES

- Helps prevent banknote theft at cash tills
- Under the counter installation for discreet use
- Solid sheet steel construction
- Stores up to 350 banknotes
- Easy-to-reach deposit slot
- Two key locks - one to open the storage unit and one to release it from the counter

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Note Capacity (qty)	Weight (kg)	Retail Price	Delivery Price	Aldridge Product Code
	Height	Width	Depth					
CU-350	235	105	190	350	2.4	£52	£24	L18856

AVAILABLE THROUGH OUR PREFERRED DISTRIBUTOR – ALDRIDGE SECURITY

TEL: 08444 125 101 (Landline), 03444 125101 (Mobile), Ireland 01 647 0048

E-MAIL: sales@aldridgesecurity.co.uk

WEB: www.aldridgesecurity.co.uk

Aldridge
Masters of Security Distribution



EPSILON

BURGLARY PROTECTION FOR KEYS



KEY FEATURES

- Economical solution with advanced protection
- Secure key deposit feature for better organised security at the workplace (50 x 40mm h x w)
- 6mm-thick steel door, 2mm-thick steel body, 16mm diameter steel locking bolts
- Anchoring kit included for easy wall installation
- Double bitted key lock
- Key capacity ranging from 88 to 208 keys
- Keys are stored on key hooks which, thanks to internal ladder racking, can be adjusted to accommodate keys of differing lengths
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Volume (litres)	Weight (kg)	Key Capacity	Retail Price	Delivery Price	Aldridge Product Code
	Height	Width	Depth	Height	Width	Depth						
Size 1	500	400	130	496	396	77	16	18	88	£245	£24	L21769
Size 2	500	400	180	496	396	127	25	23.5	128	£289	£24	L21770
Size 3	500	400	200	496	396	147	29	24	168	£308	£24	L21771
Size 4	500	400	250	496	396	197	39	27.5	208	£362	£24	L21772

AVAILABLE THROUGH OUR PREFERRED DISTRIBUTOR – ALDRIDGE SECURITY

TEL: 08444 125 101 (Landline), 03444 125101 (Mobile), Ireland 01 647 0048
E-MAIL: sales@aldridgesecurity.co.uk
WEB: www.aldridgesecurity.co.uk

Aldridge
Masters of Security Distribution



MODEL SHOWN: AIR 10 EL



AIR & AIR HOTEL

BURGLARY-RESISTANT SAFE
£1,000 CASH RATING

AIR KEY FEATURES

- Compact safe, ideal for the home or office
- 4mm-thick steel door, 2mm-thick steel body frame
- Choice of key lock or electronic lock with 1 user code
- Three sizes available: 9, 16 and 24 litre capacities. The largest is designed to accommodate most laptop computers
- Removable shelf in Air 15
- Override key supplied with electronic version

AIR HOTEL KEY FEATURES

- Compact safe for burglary protection in hotel rooms, student accommodation or other locations with frequent turnover of occupancy
- 4mm-thick steel door, 2mm-thick steel body
- Anchoring kit included to prevent unauthorised removal
- Fitted with an electronic lock with programmable master code and audit trail
- Override key supplied

PRODUCT SPECIFICATIONS

Model	External (mm)			Internal (mm)			Volume (litres)	Weight (kg)	Cash Rating**	Retail Price	Delivery Price	Aldridge Product Code
	Height	Width	Depth*	Height	Width	Depth						
Key Lock												
Air 10K	200	310	200	190	300	150	9	6	£1,000	£79	£24	L18857
Air 15K	250	350	250	240	340	200	16	9	£1,000	£93	£24	L18859
Electronic Lock												
Air 10E	200	310	200	190	300	150	9	6	£1,000	£102	£24	L18858
Air 15E	250	350	250	240	340	200	16	9	£1,000	£125	£24	L18860
Air: Laptop	200	430	350	190	420	300	24	11	£1,000	£143	£24	L18861
Air: Hotel**	200	430	350	190	420	300	24	12	£1,000	£214	£24	L18862

* Projection of electronic lock (20mm) not included

** NB. Cash ratings are advisory and should always be confirmed by your insurer
Attractive dark grey appearance (RAL 7016)

* Projection of electronic lock on Air Hotel (10mm) not included
CEU unit and software available at an additional cost
Option for base or rear fix

AVAILABLE THROUGH OUR PREFERRED DISTRIBUTOR – ALDRIDGE SECURITY

TEL: 08444 125 101 (Landline), 03444 125101 (Mobile), Ireland 01 647 0048

E-MAIL: sales@aldridgesecurity.co.uk

WEB: www.aldridgesecurity.co.uk

Aldridge
Masters of Security Distribution



HOMESTAR

BURGLARY-RESISTANT SAFE £2,000 CASH RATING



KEY FEATURES

- Suitable for the storage of valuables such as jewellery, cameras and other valuable items
- Certified by Sold Secure to Domestic Safes Silver Level
- Electronic lock with external emergency power connection
- LED internal light
- 6mm steel door and 3mm steel body
- Meets police approved standards
- One removable shelf as standard
- Flock lining on shelf
- Anti-tamper alarm
- Attractive dark grey appearance (RAL 7016)
- Three sizes available

PRODUCT SPECIFICATIONS

Model	External (mm)			Internal (mm)			Volume (litres)	Weight (kg)	Cash Rating	Retail Price	Delivery Price***	Delivery & Base Fixing Price
	Height	Width	Depth*	Height	Width**	Depth						
Laptop	200	450	400	194	444	350	30	24	£2,000	£242	£24	£110
17 E	250	350	250	244	344	200	17	17	£2,000	£194	£24	£110
54 E	400	400	400	394	394	350	54	32	£2,000	£295	£68	£110

* Projection of electronic lock and handle (15mm) not included

** Width excluding the fixed shelf supports. Shelf supports reduce the internal width by 30mm

*** Drop off delivery to a kerbside location

Option for base or rear fix



MODEL SHOWN: ALPHAPLUS 6 EL

ALPHAPLUS

BURGLARY-RESISTANT SAFE
£3,000 CASH RATING



KEY FEATURES

- Cost-efficient storage solution for home and commercial environments
- The door is laser-cut from 6mm steel whilst the safe body is formed by a double layer of steel enclosing a fire retardant fill
- Audible anti-tamper alarm installed in electronic models
- Attractive dark grey appearance (RAL 7016)
- Lock options:
 - Double bitted key lock
 - Programmable electronic lock for up to 2 user codes
- Override key supplied with electronic version
- External emergency power connection should battery power fail
- Internal LED lighting on all electronic locking models

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Volume (litres)	Weight (kg)	Fittings (Supplied) Shelf	Cash Rating**	Retail Price	Drop off Delivery Price***	Delivery & Position Price	Aldridge Product Code
Height	Width	Depth*	Height	Width	Depth									
Key Lock														
Size 2	270	350	345	200	280	255	14	22	1	£3,000	£195	£24	£110	L21750
Size 3	320	440	395	250	370	305	28	32	1	£3,000	£259	£68	£110	L21752
Size 6	610	460	395	540	390	305	64	53	1	£3,000	£392	£68	£110	L21754
Electronic Lock														
Size 2	270	350	345	200	280	255	14	22	1	£3,000	£234	£24	£110	L21751
Size 3	320	440	395	250	370	305	28	32	1	£3,000	£291	£68	£110	L21753
Size 6	610	460	395	540	390	305	64	53	1	£3,000	£440	£68	£110	L21755

* Projection of electronic lock (15mm) not included

** NB. Cash ratings are advisory and should always be confirmed by your insurer

*** Drop off delivery to a kerbside location

Option for base or rear fix

AVAILABLE THROUGH OUR PREFERRED DISTRIBUTOR – ALDRIDGE SECURITY

TEL: 08444 125 101 (Landline), 03444 125101 (Mobile), Ireland 01 647 0048

E-MAIL: sales@aldridgesecurity.co.uk

WEB: www.aldridgesecurity.co.uk

Aldridge
Masters of Security Distribution



MODEL SHOWN: HOMESAFE S2 30P 50 EL

HOMESAFE S2 30P

COMBINED FIRE AND BURGLARY PROTECTION
£4,000 CASH RATING



KEY FEATURES

- EN 14450 certified by ECB-S to level S2 burglary protection
- EN 15659 certified by ECB-S for 30 minutes fire protection for documents
- Ideal for protecting cash and valuable items, as well as passports, title deeds and other important documents in the home or office
- Attractive dark grey appearance (RAL 7016)
- Meets police approved standards
- Lock options:
 - ECB-S certified EN 1300 Class A key lock
 - ECB-S certified EN 1300 Class B electronic lock
- Alternative locking options available on request
- The safe door is secured using the new revolutionary "V" bolt system. The design of the locking bolts helps maintain door integrity both when under physical attack and during fire

PRODUCT SPECIFICATIONS

Model	External (mm)			Internal (mm)			Volume (litres)	Weight (kg)	Fittings (Supplied) Shelf	Fire Rating (mins)	Cash Rating	Retail Price	Drop off Delivery Price**	Delivery & Base Fixing Price	Aldridge Product Code
	Height	Width	Depth*	Height	Width	Depth									
Key Lock															
10	300	360	300	210	270	191	11	21	1	30	£4,000	£247	£24	£110	L26982
20	300	445	390	210	355	281	21	28	1	30	£4,000	£280	£68	£110	L26983
35	450	445	390	360	355	281	35	38	1	30	£4,000	£295	£68	£110	L26984
50	600	445	390	510	355	281	51	46	1	30	£4,000	£414	£68	£110	L26985
70	800	445	390	710	355	281	71	59	2	30	£4,000	£447	£68	£110	L26986
90	1000	445	390	910	355	281	91	72	2	30	£4,000	£564	£68	£110	L26987
Electronic Lock															
10	300	360	300	210	270	191	11	21	1	30	£4,000	£353	£24	£110	L26988
20	300	445	390	210	355	281	21	28	1	30	£4,000	£396	£68	£110	L26989
35	450	445	390	360	355	281	35	38	1	30	£4,000	£434	£68	£110	L26990
50	600	445	390	510	355	281	51	46	1	30	£4,000	£475	£68	£110	L26991
70	800	445	390	710	355	281	71	59	2	30	£4,000	£564	£68	£110	L26992
90	1000	445	390	910	355	281	91	72	2	30	£4,000	£716	£68	£110	L26993

* Hinges project 20mm beyond the depth. In electronic models the overall projection increases to 30mm
** Drop off delivery to a kerbside location

Base fixing option

Aldridge
Masters of Security Distribution

AVAILABLE THROUGH OUR PREFERRED DISTRIBUTOR – ALDRIDGE SECURITY
TEL: 08444 125 101 (Landline), 03444 125101 (Mobile), Ireland 01 647 0048
E-MAIL: sales@aldridgesecurity.co.uk
WEB: www.aldridgesecurity.co.uk



MODEL SHOWN: ZETA 25 KL



ZETA

BURGLARY-RESISTANT SAFE £6,000 CASH RATING

KEY FEATURES

- Cash safe for the home and commercial environments
- Certified by Trezor Test according to European standard EN 1143-1
- 8mm thick steel door, 45mm thick steel body, 25mm diameter steel locking bolts
- Lock options: EN 1300-certified Class A key lock or EN 1300-certified Class B electronic lock
- Electronic lock is capable of accepting 2 differing user codes and a time delay function
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Volume (litres)	Weight (kg)	Fittings (Supplied) Shelf	Cash Rating	Retail Price	Drop off Delivery Price**	Delivery & Base Fixing Price	Aldridge Product Code***
Height	Width	Depth*	Height	Width	Depth									
Key Lock														
15K	280	370	350	190	280	250	13	40	1	£6,000	£466	£68	£110	L21756
25K	330	450	400	240	360	300	26	54	1	£6,000	£574	£68	£110	L21757
35 K	450	450	400	360	360	300	39	67	1	£6,000	£667	£68	£110	—
45 K	570	450	400	480	360	300	52	81	1	£6,000	£748	£68	£110	—
55 K	690	450	400	600	360	300	65	94	2	£6,000	£842	£68	£110	—
Electronic Lock														
15E	280	370	350	190	280	250	13	40	1	£6,000	£657	£68	£110	L21758
25E	330	450	400	240	360	300	26	54	1	£6,000	£764	£68	£110	L21759
35 E	450	450	400	360	360	300	39	67	1	£6,000	£861	£68	£110	—
45 E	570	450	400	480	360	300	52	81	1	£6,000	£940	£68	£110	—
55 E	690	450	400	600	360	300	65	94	2	£6,000	£1034	£68	£110	—

* Projection of lock (26mm) not included
 ** Drop off delivery to a kerbside location
 *** Sizes 15 & 25 available through Aldridge Security

Option for base or rear fix

AVAILABLE THROUGH OUR PREFERRED DISTRIBUTOR – ALDRIDGE SECURITY
 TEL: 08444 125 101 (Landline), 03444 125101 (Mobile), Ireland 01 647 0048
 E-MAIL: sales@aldridgesecurity.co.uk
 WEB: www.aldridgesecurity.co.uk





SENATOR

COMBINED BURGLARY & FIRE-RESISTANT SAFE £10,000 CASH RATING



KEY FEATURES

- Dual ECB-S Certification: Burglary (EN 1143-1) Grade I and Fire (EN 15659, LFS 30P)
- Certified locks: EN 1300 certified Class A key lock or Class B high security electronic lock are available as primary lock options
- Dual locking is available on sizes 2,3 and 4 only
- Secure bolt work and traditional heavy weight design
- Meets police approved standards
- Fittings: each safe is supplied with one adjustable shelf as standard. The shelf is capable of supporting a maximum of 45kg
- Attractive dark grey appearance (RAL 7016)
- Ideal for the Home, Office and Retail
- Four sizes available. Model 4 will accept most sizes of cash till drawer

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Internal Volume (litres)	Weight (kg)	Fittings (Supplied) Shelf	Fire Rating (mins)	Cash Rating	Retail Price	Drop off Delivery Price***	Delivery & Base Fixing Price
	Height	Width	Depth*	Height	Width**	Depth								
Key Lock														
M1	370	500	403	290	420	263	32	119	1	30	£10,000	£654	£68	£159
M2	500	500	403	420	420	263	46	146	1	30	£10,000	£808	£68	£159
M3	650	500	403	570	420	263	63	178	1	30	£10,000	£1,065	£68	£170
M4	862	654	563	782	574	423	190	326	1	30	£10,000	£1,796	£68	£200
Electronic Lock														
M1	370	500	403	290	420	263	32	119	1	30	£10,000	£943	£68	£159
M2	500	500	403	420	420	263	46	146	1	30	£10,000	£1,115	£68	£159
M3	650	500	403	570	420	263	63	178	1	30	£10,000	£1,339	£68	£170
M4	862	654	563	782	574	423	190	326	1	30	£10,000	£2,086	£68	£200

* Projection of handle (56mm) not included

** Width excluding shelf racking strips. Racking reduces the internal width by 15mm

*** Drop off delivery to a kerbside location

Base fixing option

Model	Additional Cut Key	Mechanical Combination	Additional Key Lock Fitted to the above	Key and Combination	Two Combinations	Additional Electronic Lock Fitted to the above*	Shelf**
M1	£68	£205	N/A	N/A	N/A	N/A	£25
M2 - 3	£68	£205	£177	£269	£301	£469	£25
M4	£68	£205	£177	£269	£301	£469	£30

* 2 user lock

**Max shelf capacity 45kg



Chubbsafes
Trusted the world over.

THE OPULENT COLLECTION OF LIMITED EDITION SAFES

Since 1835, ChubbSafes has been recognised as one of the most established brands for Safes, Vaults and Vault doors. Trusted the World over with clients including high-net worth individuals, celebrities, national banks and royal families.

Now, ChubbSafes is proud to introduce to you the Opulent Collection of Limited Edition safes. This exclusive range of safes is professionally hand finished with British craftsmanship to beautifully combine exquisite design and innovation with maximum protection, ensuring your precious objects receive the optimum care they deserve.

“

“WE ALL HAVE OUR OWN
PERSONALITY & LIFESTYLE –
BOTH UNIQUE & DISTINCTIVE, IT
IS AN EXCELLENCE THAT SETS US
APART FROM OTHERS”



UNIQUELY YOURS

Using the finest materials, each safe is tailored to your security needs, with expert dedication in every detail and an impressive level of choice of finishes to make it uniquely yours.

OPULENT 60



OPULENT 110



OPULENT 150



OPULENT 200



GRADE I	60	110	150	200
A	2 Standard Depth Drawers 1 Padded Shelf £14,363.00	3 Standard Depth Drawers 1 Padded Shelf £15,769.00	3 Standard Depth Drawers 1 Deep Drawer 1 Padded Shelf £17,144.00	3 Standard Depth Drawers 2 Deep Drawers 1 Large Padded Shelf £18,595.00
B	2 Standard Depth Drawers 2 Watch Winders £15,063.00	3 Standard Depth Drawers 2 Watch Winders £16,469.00	3 Standard Depth Drawers 1 Deep Drawer 2 Watch Winders £17,844.80	4 Standard Depth Drawers 2 Deep Drawers 2 Watch Winders £20,395.00
C	-	-	2 Standard Depth Drawers 1 Deep Drawer 4 Watch Winders £18,064.80	3 Standard Depth Drawers 2 Deep Drawers 4 Watch Winders £20,995.00
D	-	-	3 Standard Depth Drawers 1 Half Depth Drawer 4 Watch Winders £19,044.80	4 Standard Depth Drawers 2 Deep Drawers 1 Padded Shelf £19,995.00
GRADE II	60	110	150	200
A	2 Standard Depth Drawers 1 Padded Shelf £15,149.00	3 Standard Depth Drawers 1 Padded Shelf £17,079.00	3 Standard Depth Drawers 1 Deep Drawer 1 Padded Shelf £18,704.80	3 Standard Depth Drawers 2 Deep Drawers 1 Large Padded Shelf £20,611.00
B	2 Standard Depth Drawers 2 Watch Winders £15,849.00	3 Standard Depth Drawers 2 Watch Winders £17,779.00	3 Standard Depth Drawers 1 Deep Drawer 2 Watch Winders £19,404.80	4 Standard Depth Drawers 2 Deep Drawers 2 Watch Winders £22,411.00
C	-	-	2 Standard Depth Drawers 1 Deep Drawer 4 Watch Winders £19,624.80	3 Standard Depth Drawers 2 Deep Drawers 4 Watch Winders £23,011.00
D	-	-	3 Standard Depth Drawers 1 Half Depth Drawer 4 Watch Winders £19,404.80	4 Standard Depth Drawers 2 Deep Drawers 1 Padded Shelf £20,851.00
GRADE III	60	110	150	200
A	2 Standard Depth Drawers 1 Padded Shelf £16,859.00	3 Standard Depth Drawers 1 Padded Shelf £18,739.00	3 Standard Depth Drawers 1 Deep Drawer 1 Padded Shelf £20,650.80	3 Standard Depth Drawers 2 Deep Drawers 1 Large Padded Shelf £22,691.00
B	2 Standard Depth Drawers 2 Watch Winders £17,559.00	3 Standard Depth Drawers 2 Watch Winders £19,439.00	3 Standard Depth Drawers 1 Deep Drawer 2 Watch Winders £21,350.80	4 Standard Depth Drawers 2 Deep Drawers 2 Watch Winders £24,491.00
C	-	-	2 Standard Depth Drawers 1 Deep Drawer 4 Watch Winders £21,570.80	3 Standard Depth Drawers 2 Deep Drawers 4 Watch Winders £25,091.00
D	-	-	3 Standard Depth Drawers 1 Half Depth Drawer 4 Watch Winders £19,550.80	4 Standard Depth Drawers 2 Deep Drawers 1 Padded Shelf £21,091.00
OPTIONAL EXTRAS				

Pearl, Metallic or Custom Paint Finish	£800.00
Pinstripes to Safe Panels	£700.00
Drawer Split into Half	£240.00
Drawer Split into 4 Equal Sections	£300.00
Drawer Split into 1 Large & 2 Equal Sections	£300.00
Drawer Split into 4 Narrow & 2 Equal Sections	£340.00

Watch Cushions	£120.00
Ring Cushions in 1/4 Drawer	£240.00
Electronic Lock with Special Cap Cover	£960.00
4 x Watch Winders in lieu of Deep Drawer	£2,550.00
Gold Handles & Drawer Pulls	POA
Bronze Handles & Drawer Pulls	POA



MODEL SHOWN: PROGUARD 350 KL


DUOGUARD & PROGUARD

BURGLARY-RESISTANT SAFE
£10,000 TO £35,000 CASH RATING



KEY FEATURES

- Constructed using Chubb safes revolutionary new lightweight barrier material
- Recommended cash rating of up to £35,000 (Grade III)
- Certified by ECB-S to European standard EN 1143-1
- Offers 60 minutes fire protection for documents (Grade 1 only). Certified by ECB-S in accordance with the European standard EN 1047-1 in class S 60P
- Meets police approved standards
- Available in a comprehensive range of product sizes, ranging from 40 to 463 litres
- Lock options: EN 1300-certified Class A key lock or EN 1300-certified Class B electronic lock
- Alternative locking options are available
- Optional internal fittings include removable shelf, full width lockable drawer and lockable compartment - read more on page 45
- Attractive dark grey appearance (RAL 7016)



PRODUCT SPECIFICATIONS

	Model	External dimensions (mm)			Internal dimensions (mm)			Internal Volume (litres)	Weight (kg)	Fittings (Supplied) Shelf	Fire Rating (mins)	Cash Rating	Retail Price		Drop Off Delivery Price****	Delivery & Base Fixing Price
		Height	Width*	Depth**	Height	Width***	Depth						Key Lock	Electronic		
Grade I	40	435	500	456	335	400	295	40	100	1	60	£10,000	£1,068	£1,247	£68	£110
	60	530	500	521	430	400	360	62	123	1	60	£10,000	£1,265	£1,444	£68	£159
	110	690	600	561	590	500	386	114	175	2	60	£10,000	£1,485	£1,718	£68	£170
	150	875	600	561	775	500	386	150	212	2	60	£10,000	£1,791	£1,964	£68	£170
	200	1150	600	561	1050	500	386	203	264	2	60	£10,000	£1,979	£2,153	£68	£170
	300	1600	600	561	1500	500	386	290	337	3	60	£10,000	£2,420	£2,598	£68	£210
	350	1600	675	585	1500	575	410	354	374	3	60	£10,000	£2,671	£2,848	£68	£210
	450	1850	675	615	1750	575	440	443	436	4	60	£10,000	£3,038	£3,216	£68	£230
Grade II	60	530	500	521	430	400	360	62	234	1	N/A	£17,500	£1,529	£1,815	£68	£170
	110	690	600	561	590	500	386	114	334	2	N/A	£17,500	£1,784	£1,900	£68	£210
	150	875	600	561	775	500	386	150	402	2	N/A	£17,500	£2,222	£2,560	£68	£230
	200	1150	600	561	1050	500	386	203	501	2	N/A	£17,500	£2,575	£2,875	£68	£280
	300	1600	600	561	1500	500	386	290	744	3	N/A	£17,500	£2,910	£3,250	£139	£280
	350	1600	675	585	1500	575	410	354	846	3	N/A	£17,500	£3,339	£3,644	£139	£360
	450	1850	675	616	1750	575	440	443	981	4	N/A	£17,500	£3,985	£4,289	£139	£450
Grade III	60	530	500	521	440	410	359	65	209	2	N/A	£35,000	£1,892	£2,132	£68	£170
	110	690	600	561	600	510	396	121	315	2	N/A	£35,000	£2,622	£2,887	£68	£210
	150	875	600	561	785	510	396	159	377	2	N/A	£35,000	£2,893	£3,100	£68	£210
	200	1150	600	561	1060	510	396	214	486	2	N/A	£35,000	£3,003	£3,179	£68	£230
	300	1600	600	561	1510	510	396	305	655	3	N/A	£35,000	£3,587	£3,830	£139	£280
	350	1600	675	585	1510	585	420	371	703	3	N/A	£35,000	£4,108	£4,378	£139	£280
	450	1850	675	616	1760	585	451	463	813	4	N/A	£35,000	£4,794	£5,136	£139	£360

* Projection of hinge (20mm) not included

** Projection of handle (65mm) not included

*** Width excluding shelf racking strips. Racking reduces the internal width by 15mm

**** Drop off delivery to a kerbside location

NB. Retail prices for Grade II & III electronic models include basic two user code lock only. Alternative lock options with multiple user codes and additional features available at extra cost

Base fixing option

	Fitting	Shelf*	Heavy Duty Shelf**	Data Media Insert***	Extendable Shelf	Full Width Drawer	Lockable Cupboard	Pull Out Frame
All Grades	Size 40	£25	£58	N/A	N/A	N/A	N/A	N/A
	Size 60	£27	£58	N/A	N/A	N/A	N/A	N/A
	Size 110–300	£35	£58	£488	£124	£274	£288	£114
	Size 350	£42	£58	£488	£160	£311	£323	£150
	Size 450	£49	£58	£488	£160	£356	£356	£150

* Max shelf capacity 60kg

** Max shelf capacity 120kg

*** Available for Grade I only - Data Media protection to NT Fire 017-060 DIS

	Lock	Additional Cut Key	Mechanical Combination	Additional Key Lock Fitted to the above	Key and Combination	Two Combinations	Additional Basic 2 User Electronic Lock fitted to above	Single Electronic Pro - up to 9 Users
All Grades*	All sizes	£68	£205	£177	£269	£301	£469	£495

* Dual locking not available on Grade II size 60 or Grade III size 60

Lock commissioning and training is at an additional net cost POA

Combination is a mechanical combination

Deposit options are available - please call 01902 455111 for details

Certified deposits are also available - please see page 27

Specifications for optional fittings are available on page 45



CUSTODIAN

BURGLARY-RESISTANT SAFE
UP TO £100,000 CASH RATING



KEY FEATURES

- The Custodian range is certified by ECB•S in accordance with the stringent European standard EN 1143-1 (Gd IV and V)
- Leading edge GRAVITON barrier material to ensure excellent burglary protection
- Designed to fit into most environments, such as retail shops, bank branches and offices
- Six sizes available from 111 to 596 litres
- Ergonomic, soft touch handle designed for ease of use
- Meets police approved standards
- Developed with convenience in mind, Custodian safes are practical and easy to use
- Sleek design with elegant RAL 7016 body and RAL 7040 light grey internal fittings
- Supplied with two EN 1300 certified Class B key locks as standard. Electronic lock options, which increase the level of security and prevent unauthorised access to the safe, are available at additional costs
- Optional internal fittings include removable shelf and full width drawer - read more on page 45



PRODUCT SPECIFICATIONS

	Model	External dimensions (mm)			Internal dimensions (mm)			Internal Volume (litres)	Weight (kg)	Locking	Fittings (Supplied) Shelf	Cash Rating	Retail Price	Drop Off Delivery Price****	Delivery & Base Fixing Price
Grade IV	Size 110	790	730	560	620	560	320	111	549	Two Key Locks	2	£60,000	£3,757	£139	£280
	Size 170	920	730	640	750	560	400	168	681	Two Key Locks	2	£60,000	£3,936	£139	£280
	Size 210	920	730	740	750	560	500	210	760	Two Key Locks	2	£60,000	£4,495	£139	£360
	Size 310	1270	730	740	1100	560	500	308	985	Two Key Locks	3	£60,000	£5,332	£139	£360
	Size 420	1470	810	740	1300	640	500	416	1201	Two Key Locks	3	£60,000	£6,329	POA	£450
	Size 600	1850	880	740	1680	710	500	596	1558	Two Key Locks	4	£60,000	£7,148	POA	POA
Grade V	Size 110	790	730	560	620	560	320	111	553	Two Key Locks	2	£100,000	£4,334	£139	£280
	Size 170	920	730	640	750	560	400	168	688	Two Key Locks	2	£100,000	£4,632	£139	£280
	Size 210	920	730	740	750	560	500	210	767	Two Key Locks	2	£100,000	£6,171	£139	£360
	Size 310	1270	730	740	1100	560	500	308	999	Two Key Locks	3	£100,000	£6,753	£139	£450
	Size 420	1470	810	740	1300	640	500	416	1217	Two Key Locks	3	£100,000	£7,725	POA	£450
	Size 600	1850	880	740	1680	710	500	596	1575	Two Key Locks	4	£100,000	£9,871	POA	POA

* Projection of hinge (25mm) not included

** Projection of handle (55mm) not included

*** Width excluding shelf racking strips. Racking reduces the internal width by 20mm

**** Drop off delivery to a kerbside location

Base fixing option

Lock	Additional Cut Key	Key and Combination	Two Combinations	Key and Electronic*	Two Electronic*
Grade IV & V	£84	£304	£347	£431	£764

* Lock commissioning and training is at an additional net cost POA

Combination is a mechanical combination

	Fitting	Shelf*	Reinforced Shelf**	Full Width Drawer	Lockable Compartment 200mm High	Lockable Compartment 400mm High
All Grades	Size 110	£43	£117	N/A	N/A	N/A
	Size 170	£43	£117	N/A	£609	£731
	Size 210	£43	£117	£349	£609	£731
	Size 310	£43	£117	£349	£609	£731
	Size 420	£43	£117	£349	£609	£731
	Size 600	£56	£117	£402	£609	N/A

Please note units fitted with optional fittings may be subject to extended lead times

* Max shelf capacity 50kg

** Max shelf capacity 120kg

Specifications for optional fittings are available on page 45



TRIDENT

BURGLARY, FIRE & EXPLOSIVE-RESISTANT SAFE
UP TO £150,000 CASH RATING



KEY FEATURES

- Triple resistance against burglary, fire and explosives, ideal for high-risk sites such as banks, retail environments, jewellers or pawnshops
- Certified by ECB•S according to EN 1143-1, Grades IV to VI for burglary protection
- Certified by SP Technical Research Institute of Sweden according to NT Fire 017 – 60 Paper for fire protection for up to 60 minutes
- Certified by ECB•S according to EN 1143-1, Grades IV EX to VI EX for explosives protection
- Meets police approved standards
- Available with the door hung on the right or the left
- Lock options:
 - EN 1300-certified key locks
 - EN 1300-certified combination locks
 - EN 1300-certified Class B (Gd IV - V) and C (Gd VI) electronic locks
- Optional internal fittings include removable shelf, reinforced shelf, full width drawer - read more on page 45
- Attractive dark grey appearance (RAL 7016)



PRODUCT SPECIFICATIONS

	Model	External dimensions (mm) Height Width* Depth**			Internal dimensions (mm) Height Width*** Depth			Internal Volume (litres)	Weight (kg)	Locking	Fittings (Supplied) Shelf	Total depth with door(s) at 90° (mm)	Total width with door(s) at 180° (mm)	Fire Rating (mins)	Cash Rating	Retail Price	Drop Off Delivery Price****	Delivery & Base Fixing Price
Grade IV	Size 110	790	730	560	620	560	320	111	560	Two Key Locks	2	1205	1420	60	£60,000	£4,460	£139	£280
	Size 170	920	730	640	750	560	400	168	695	Two Key Locks	2	1285	1420	60	£60,000	£4,838	£139	£280
	Size 210	920	730	740	750	560	500	210	775	Two Key Locks	2	1385	1420	60	£60,000	£5,274	£139	£360
	Size 310	1270	730	740	1100	560	500	308	1005	Two Key Locks	3	1385	1420	60	£60,000	£6,196	£139	£450
	Size 420	1470	810	740	1300	640	500	416	1225	Two Key Locks	3	1465	1580	60	£60,000	£7,292	POA	£450
	Size 600	1850	880	740	1680	710	500	596	1590	Two Key Locks	4	1535	1720	60	£60,000	£8,193	POA	POA
	Size 910	1850	1250	740	1680	1080	500	907	2060	Two Key Locks	4	1385	2568	60	£60,000	£10,658	POA	POA
	Size 1120	1850	1500	740	1680	1330	500	1117	2380	Two Key Locks	4	1465	3068	60	£60,000	£10,910	POA	POA
Grade V	Size 110	790	730	560	620	560	320	111	595	Two Key Locks	2	1205	1420	60	£100,000	£5,097	£139	£280
	Size 170	920	730	640	750	560	400	168	740	Two Key Locks	2	1285	1420	60	£100,000	£5,426	£139	£280
	Size 210	920	730	740	750	560	500	210	825	Two Key Locks	2	1385	1420	60	£100,000	£7,119	£139	£360
	Size 310	1270	730	740	1100	560	500	308	1075	Two Key Locks	3	1385	1420	60	£100,000	£7,759	£139	£450
	Size 420	1470	810	740	1300	640	500	416	1310	Two Key Locks	3	1465	1580	60	£100,000	£8,828	POA	£450
	Size 600	1850	880	740	1680	710	500	596	1695	Two Key Locks	4	1535	1720	60	£100,000	£11,182	POA	POA
	Size 910	1850	1250	740	1680	1080	500	907	2195	Two Key Locks	4	1385	2568	60	£100,000	£12,159	POA	POA
	Size 1120	1850	1500	740	1680	1330	500	1117	2535	Two Key Locks	4	1465	3068	60	£100,000	£18,223	POA	POA
Grade VI	Size 110	790	730	560	620	560	320	111	635	Two Key Locks	2	1205	1420	60	£150,000	£6,695	£139	£280
	Size 170	920	730	640	750	560	400	168	790	Two Key Locks	2	1285	1420	60	£150,000	£7,998	£139	£360
	Size 210	920	730	740	750	560	500	210	880	Two Key Locks	2	1385	1420	60	£150,000	£10,658	£139	£360
	Size 310	1270	730	740	1100	560	500	308	1150	Two Key Locks	3	1385	1420	60	£150,000	£12,273	£139	£450
	Size 420	1470	810	740	1300	640	500	416	1400	Two Key Locks	3	1465	1580	60	£150,000	£16,980	POA	£450
	Size 600	1850	880	740	1680	710	500	596	1810	Two Key Locks	4	1535	1720	60	£150,000	£19,590	POA	POA
	Size 910	1850	1250	740	1680	1080	500	907	2350	Two Key Locks	4	1385	2568	60	£150,000	£21,265	POA	POA
	Size 1120	1850	1500	740	1680	1330	500	1117	2710	Two Key Locks	4	1465	3068	60	£150,000	£23,041	POA	POA

* Projection of hinge (25mm) not included

** Projection of handle (65mm) not included

*** Width excluding shelf racking strips. Racking reduces the internal width by 20mm

**** Drop off delivery to a kerbside location

Base fixing option

Lock	Additional Cut Key	Key and Combination	Two Combinations	Key and Electronic*	Two Electronic*
Grade IV & V	£84	£304	£347	£431	£764
Grade VI	POA	N/A	N/A	£3187	£4665

* Lock commissioning and training is at an additional net cost POA

Combination is a mechanical combination

	Fitting	Shelf*	Reinforced Shelf**	Full Width Drawer	Lockable Compartment 200mm High	Lockable Compartment 400mm High
All Grades	Size 110	£43	£117	N/A	N/A	N/A
	Size 170	£43	£117	N/A	£609	£731
	Size 210	£43	£117	£349	£609	£731
	Size 310	£43	£117	£349	£609	£731
	Size 420	£43	£117	£349	£609	£731
	Size 600	£56	£117	£402	£609	N/A
	Size 910	N/A	£134	N/A	N/A	N/A
	Size 1120	N/A	£134	N/A	N/A	N/A

Please note units fitted with optional fittings may be subject to extended lead times

* Max shelf capacity 50kg

** Max shelf capacity 120kg

Specifications for optional fittings are available on page 45



MODEL SHOWN: SIGMA DEPOSIT SIZE 2 KL

SIGMA DEPOSIT

BURGLARY-RESISTANT SAFE
£1,500 CASH RATING



KEY FEATURES

- Easy-to-operate deposit solution for burglary protection
- 8mm plate steel door, 25mm diameter steel locking bolts
- Deposit slot (170mm x 16mm) fitted with an anti-fishing device to prevent unauthorised removal of deposited items
- Shelf supplied in size 3
- Lock options:
 - Double bitted 8-lever key lock
 - Programmable electronic lock (sizes 2 and 3 only) fitted with anti-tamper alarm
- Override key supplied with electronic version
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Volume (litres)	Weight (kg)	Cash Rating**	Retail Price	Delivery Price	Aldridge Product Code
	Height	Width	Depth*	Height	Width	Depth						
Key Lock												
Size 1	305	375	350	299	369	289	32	27	£1,500	£248	£24	L21760
Size 2	375	375	350	369	369	289	39	33	£1,500	£286	£68	L21761
Size 3	475	375	350	469	369	289	50	38	£1,500	£336	£68	L21763
Electronic Lock												
Size 2	375	375	350	369	369	289	39	33	£1,500	£372	£68	L21762
Size 3	475	375	350	469	369	289	50	38	£1,500	£409	£68	L21764

* Projection of electronic lock (15mm) not included

** NB. Cash ratings are advisory and should always be confirmed by your insurer

Option for base or rear fix

AVAILABLE THROUGH OUR PREFERRED DISTRIBUTOR – ALDRIDGE SECURITY

TEL: 08444 125 101 (Landline), 03444 125101 (Mobile), Ireland 01 647 0048

E-MAIL: sales@aldridgesecurity.co.uk

WEB: www.aldridgesecurity.co.uk

Aldridge
Masters of Security Distribution



MODEL SHOWN: OMEGA DEPOSIT 2 EL



OMEGA DEPOSIT

BURGLARY-RESISTANT SAFE £3,000 CASH RATING

KEY FEATURES

- Burglary protection for your cash deposits, ideal for retailers
- 10mm steel door, 6mm steel body, 20mm diameter steel locking bolts
- Anti-fishing device prevents removal of deposited items
- Choice of 2 sizes, 24 and 48 litres
- Shelf supplied with size 2
- Lock options:
 - Double bitted 8-lever key lock
 - Programmable electronic lock with 1 master code and 5 users, programmable time delay function and optional dual user mode
- Anchoring kit included to prevent unauthorised removal
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Volume (litres)	Weight (kg)	Cash Rating**	Retail Price	Drop off Delivery Price***	Delivery & Base Fixing Price	Aldridge Product Code
	Height	Width	Depth*	Height	Width	Depth							
Key Lock													
Size 1	455	340	380	212	328	308	24	54	£3,000	£384	£68	£110	L21765
Size 2	698	340	380	455	328	308	48	75	£3,000	£490	£68	£110	L21766
Electronic Lock													
Size 1	455	340	380	212	328	308	24	54	£3,000	£479	£68	£110	L21767
Size 2	698	340	380	455	328	308	48	75	£3,000	£583	£68	£110	L21768

* Projection of door handle (42mm) not included

** NB. Cash ratings are advisory and should always be confirmed by your insurer

*** Drop off delivery to a kerbside location

Base fixing option
Deposit opening measures 80 x 265 x 220 mm (H x W x D)

AVAILABLE THROUGH OUR PREFERRED DISTRIBUTOR – ALDRIDGE SECURITY
TEL: 08444 125 101 (Landline), 03444 125101 (Mobile), Ireland 01 647 0048
E-MAIL: sales@aldridgesecurity.co.uk
WEB: www.aldridgesecurity.co.uk

Aldridge
Masters of Security Distribution



MODEL SHOWN: SOVEREIGN DEPOSIT 2 KL

SOVEREIGN DEPOSIT



BURGLARY-RESISTANT SAFE UP TO £100,000 CASH RATING

KEY FEATURES

- High quality deposit safe constructed from modern high specification materials
- Recommended cash rating of up to £100,000 see table below
- Deposit feature allows multiple users to constantly deposit cash and valuables securely whilst the main body of the safe remains locked
- Can be customised with locking options
- Optional internal fittings: retaining shelf, retaining cupboard - read more on page 45
- Deposit drawer secured by double bitted key lock
- Retaining plate fitted as standard
- Light grey finish (RAL 9002)

PRODUCT SPECIFICATIONS

	Model	External dimensions (mm)			Internal dimensions (mm)			Internal Volume (litres)**	Weight (kg)	Locking	Total depth with door at 90° (mm)	Cash Rating***	Retail Price	Drop Off Delivery Price****	Delivery & Base Fixing Price
10K	Size 1	882	528	603	460	360	360	60	525	Key Lock	1076	£10,000	£1,634	£139	£280
	Size 2	972	668	663	550	500	420	116	694	Key Lock	1276	£10,000	£1,996	£139	£280
	Size 3	1272	668	663	850	500	420	180	852	Key Lock	1276	£10,000	£2,359	£139	£360
35K	Size 2	972	668	663	550	500	420	116	754	Two Key Locks	1276	£35,000	£2,667	£139	£360
	Size 3	1272	668	663	850	500	420	180	918	Two Key Locks	1276	£35,000	£2,882	£139	£360
100K	Size 2	972	668	663	588	538	444	140	798	Two Key Locks	1276	£100,000	£5,604	£139	£360
	Size 3	1272	668	663	888	538	444	212	1052	Two Key Locks	1276	£100,000	£6,573	£139	£450

* Projection of handle (56mm) not included

** Internal volume does not include allowance for anti-fishing devices

*** NB. Cash ratings are advisory and should always be confirmed by your insurer

**** Drop off delivery to a kerbside location

Max Deposit size is 110 x 320 x 200mm (HxWxD)
Base fixing option


	Lock	Additional Cut Key	Mechanical Combination	Two Key Locks (10K only)	Key and Combination*	Two Combinations*	Electronic**	Key and Electronic**
All Models	All sizes	£84	£205	£177	£304	£347	£411	£431

* Combination is a mechanical combination

** Lock commissioning and training is at an additional net cost POA

	Model	Retaining Shelf	Retaining Cupboard
All Models	All sizes	£340	£820

Specifications for optional fittings are available on page 45



MODEL SHOWN: PROGUARD DT 150 KL

PROGUARD DT

BURGLARY-RESISTANT SAFE UP TO £17,500 CASH RATING



KEY FEATURES

- Cash deposit solution ideal for environments in which large amounts of cash are handled
- Certified by ECB-S to European standard EN 1143-2 D in Grades DI & II
- New composite barrier-material to ensure high-levels of protection whilst reducing total weight to minimise transport and installation cost
- Three-way solid steel boltwork, active relocker and anti-drilling plates
- Meets police approved standards
- Anti-fishing device to prevent removal of contents once deposited into chute
- EN 1300 certified Class A key lock fitted as standard
- Drawer trap fitted with a Class A key lock
- Retaining plate fitted as standard
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

	Model	External dimensions (mm)			Internal dimensions (mm)				Internal Volume (litres)	Weight (kg)	Locking	Cash Rating	Retail Price	Drop Off Delivery Price****	Delivery & Base Fixing Price
		Height	Width*	Depth**	Height	Height†	Width***	Depth							
Grade I	Size 60	687	500	521	587	314	400	360	45	144	Key Lock	£10,000	£2,088	£68	£160
	Size 110	847	600	561	747	474	500	386	91	203	Key Lock	£10,000	£2,357	£68	£170
	Size 150	1052	600	561	932	659	500	386	127	242	Key Lock	£10,000	£2,588	£68	£170
	Size 200	1307	600	561	1207	934	500	386	180	290	Key Lock	£10,000	£2,764	£68	£200
Grade II	Size 60	687	500	521	587	314	400	360	45	329	Key Lock	£17,500	£2,574	£68	£210
	Size 110	847	600	561	747	474	500	386	91	464	Key Lock	£17,500	£3,109	£68	£230
	Size 150	1052	600	561	932	659	500	386	127	554	Key Lock	£17,500	£3,430	£139	£280
	Size 200	1307	600	561	1207	934	500	386	180	665	Key Lock	£17,500	£3,942	£139	£280

* Projection of hinge (20mm) not included

Maximum Deposit size for Size 60 is 30 x 330 x 220 (mm)

Height† and litres shown are usable heights and volumes below anti-fishing devices

** Projection of handle (65mm) not included

Maximum Deposit size for Sizes 110, 150, 200 is 30 x 430 x 220 (mm)

Base fixing option

*** Width excluding shelf racking strips. Racking reduces the internal width by 15mm

**** Drop off delivery to a kerbside location

	Lock	Additional Cut Key	Mechanical Combination	Two Key Locks	Key and Combination**	Electronic***	Two Combinations**	Key and Electronic***
All Grades*	All sizes	£68	£205	£177	£269	£411	£301	£431

* Dual locking not available on Grade II size 60

** Combination is a mechanical combination

*** Lock commissioning and training is at an additional net cost POA



MODEL SHOWN: FORCEGUARD SIZE 4

FORCEGUARD

BURGLARY-RESISTANT CABINET £2,000 CASH RATING



KEY FEATURES

- Multipurpose cabinet for the storage of cash and valuable bulk items
- Single-wall body constructed from 3mm solid steel. Doors have a total thickness of 52mm and open to 180°
- 20mm diameter steel locking bolts
- Relocking device for additional protection against forced entry
- Cabinet must be fixed to the floor via the anchoring points in the base
- Secured by an EN 1300-certified Class A key lock as standard
- Available in four sizes with double doors on models 2-4
- Alternative locking options available
- Light grey finish (RAL 9002)

PRODUCT SPECIFICATIONS

Model	Number of doors	External dimensions (mm)			Internal dimensions (mm)			Volume (litres)	Weight (kg)	Locking	Fittings (Supplied) Shelf	Cash Rating**	Retail Price	Drop Off Delivery Price***	Delivery & Base Fixing Price
Size 1	1	1000	600	450	975	575	400	236	80	Key Lock	3	£2,000	£823	£68	£110
Size 2	2	1500	900	450	1475	875	400	534	140	Key Lock	4	£2,000	£1,366	£68	£134
Size 3	2	1900	900	450	1875	875	400	680	225	Key Lock	4	£2,000	£1,655	£98	£179
Size 4	2	1900	1220	450	1875	1195	400	920	275	Key Lock	4	£2,000	£1,988	£156	£273

* Projection of handle (50mm) not included

** NB. Cash ratings are advisory and should always be confirmed by your insurer

*** Drop off delivery to a kerbside location

Base fixing option

	Model	Mechanical Combination	Electronic - 2 Users	Electronic - up to 9 Users
All Models	All Sizes	£205	£388	£495



MODEL SHOWN: HOMESAFE S2 30P 90 EL

HOMESAFE S2 30P

CERTIFIED SECURITY CABINET
£4,000 CASH RATING



KEY FEATURES

- Combined burglary and fire protection
- Supplied with 2 x shelves
- Certified by ECB-S according to EN 14450 Level S2 for burglary protection
- Certified by ECB-S according to EN 15659 to provide 30 mins fire protection for documents
- Lock options:
 - ECB-S certified EN 1300 Class A key lock
 - ECB-S certified EN 1300 Class B electronic lock
- Alternative locking options available on request
- Meets police approved standards
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

Model	External (mm)			Internal (mm)			Volume (litres)	Weight (kg)	Fittings (Supplied) Shelf	Fire Rating (mins)	Cash Rating	Retail Price	Drop off Delivery Price**	Delivery & Base Fixing Price	Aldridge Product Code
	Height	Width	Depth*	Height	Width	Depth									
Key Lock															
90	1000	445	390	910	355	281	91	72	2	30	£4,000	£564	£68	£110	L26987
Electronic Lock															
90	1000	445	390	910	355	281	91	72	2	30	£4,000	£716	£68	£110	L26993

* Hinges project 20mm beyond the depth. In electronic models the overall projection increases to 30mm

** Drop off delivery to a kerbside location

Base fixing option

AVAILABLE THROUGH OUR PREFERRED DISTRIBUTOR – ALDRIDGE SECURITY

TEL: 08444 125 101 (Landline), 03444 125101 (Mobile), Ireland 01 647 0048
E-MAIL: sales@aldridgesecurity.co.uk
WEB: www.aldridgesecurity.co.uk

Aldridge
Masters of Security Distribution



MODEL SHOWN: FIRE FILE 25" 4 DRAWER

FIRE FILE 25" & 31"

FIRE-RESISTANT DOCUMENT FILE – 60 & 120 MINUTES



KEY FEATURES

- Fire resistant certified filing cabinet for document storage
- Certified by Underwriter's Laboratories according to Standard 72, Class 350 Endurance for up to 60 and 120 minutes fire protection
- Day-catch fitted to each drawer to ensure that the contents are protected from fire as long as a drawer has been pushed closed, even if the cabinet is unlocked
- High-quality steel sliders for easy access and use
- Fitted with key lock as standard
- The contents of the closed drawers are completely protected from fire even if one of the drawers has been accidentally left open
- Independent locking or dual locking available at additional costs
- Designed to accommodate foolscap or A4 filing
- Light grey, powder-coated finish and modern design which blends nicely into any office environment (RAL 7035)

PRODUCT SPECIFICATIONS FIRE FILE 25"

Model	External dimensions (mm)			Internal dimensions (mm)**			Volume (litres)	Weight (kg)	Fire Rating (mins)	Retail Price	Drop Off Delivery Price***	Delivery & Position Price
	Height	Width	Depth*	Height	Width	Depth						
2 drawer	784	551	635	290	387	460	104	164	60	£745	£68	£170
4 drawer	1510	551	635	290	387	460	208	291	60	£1,035	£68	£200

PRODUCT SPECIFICATIONS FIRE FILE 31"

Model	External dimensions (mm)			Internal dimensions (mm)**			Volume (litres)	Weight (kg)	Fire Rating (mins)	Retail Price	Drop Off Delivery Price***	Delivery & Position Price
	Height	Width	Depth*	Height	Width	Depth						
2 drawer	784	551	779	290	387	604	136	197	120	£938	£68	£170
3 drawer	1147	551	779	290	387	604	204	273	120	£1,245	£68	£200
4 drawer	1510	551	779	290	387	604	272	328	120	£1,734	£68	£210

* Projection of handle (35mm) not included

** Each drawer's internal dimensions

*** Drop off delivery to a kerbside location

Locking	Electronic	Combination*	Key & Electronic	Key & Combination*	Two Key Locks	Key Lock on any Drawer, except Top for Individual Control**
All Models	£248	£127	£309	£157	£61	£70

* Combination is a mechanical combination

** Per drawer

NB. Non standard locking options are subject to extended lead times



MODEL SHOWN: ARCHIVE CABINET 450

ARCHIVE CABINET

FIRE-RESISTANT DOCUMENT CABINET
£1,000 CASH RATING



KEY FEATURES

- Storage cabinet which has a steel, double-wall construction insulated with special fire-resistant barrier material
- Three-way solid steel boltwork for enhanced security
- Anchor points in base allow the cabinet to be fixed to the floor
- EN 1300-certified Class A key lock
- Alternative locking options available on request
- Optional internal fittings: removable shelf, pull-out file frame, lockable compartment - read more on page 44
- Available in 4 sizes ranging from 325 - 880 litres
- Attractive light grey appearance (RAL 7035)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Volume (litres)	Weight (kg)	Fittings (Supplied) Shelf	Cash Rating**	Retail Price	Drop Off Delivery Price***	Delivery & Position Price
	Height	Width	Depth*	Height	Width	Depth							
Size 325	1500	700	550	1290	594	430	325	95	3	£1,000	£858	£68	£130
Size 450	1950	700	550	1780	594	430	450	120	4	£1,000	£999	£68	£160
Size 640	1950	950	550	1780	844	430	640	150	4	£1,000	£1,329	£68	£170
Size 880	1950	1260	550	1780	1154	430	880	200	4	£1,000	£1,484	£122	£170

* Projection of handle (50mm) not included

** NB. Cash ratings are advisory and should always be confirmed by your insurer

*** Drop off delivery to a kerbside location

Base fixing option

Fitting	Shelf	Pull-out Frame	Lockable Compartment
Size 325	£60	£168	£286
Size 450	£60	£168	£286
Size 640	£78	£199	£364
Size 880	£97	£205	£477


Specifications for optional fittings are available on page 44



MODEL SHOWN: EXECUTIVE 40 EL

EXECUTIVE

FIRE-RESISTANT DOCUMENT SAFE – 60 MINUTES
£1,000 CASH RATING



KEY FEATURES

- Compact fire safe designed to protect valuable documents
- Certified by SP Technical Research Institute of Sweden according to NT Fire 017 for up to 60 minutes fire protection of documents
- Certified by Underwriter's Laboratories according to Class 350 for up to 60 minutes fire protection of documents
- Overall body thickness of 50mm, comprising of an inner and outer steel body containing a specially formulated fire-resistant solid barrier material
- Overall door thickness of 66mm
- Anchoring kit to securely fix the safe in the floor and prevent any unauthorised removal
- Lock options:
 - Cylinder lock with a secure flat profile key
 - Programmable electronic lock
- Choice of 4 sizes ranging from 14 to 71 litres
- Attractive light grey appearance (RAL 7035)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Volume (litres)	Weight (kg)	Fire Rating (mins)	Cash Rating**	Retail Price	Drop off Delivery Price***	Delivery & Position Price
	Height	Width	Depth*	Height	Width	Depth							
Key Lock													
Size 15	300	390	320	210	310	215	14	25	60	£1,000	£191	£68	£134
Size 25	345	425	450	240	320	320	25	45	60	£1,000	£224	£68	£134
Size 40	525	410	450	415	305	320	41	57	60	£1,000	£301	£68	£134
Size 65	670	550	510	515	395	340	71	120	60	£1,000	£634	£68	£134
Electronic Lock													
Size 15	300	390	320	210	310	215	14	25	60	£1,000	£255	£68	£134
Size 25	345	425	450	240	320	320	25	45	60	£1,000	£288	£68	£134
Size 40	525	410	450	415	305	320	41	57	60	£1,000	£364	£68	£134
Size 65	670	550	510	515	395	340	71	120	60	£1,000	£739	£68	£134

* Electronic lock projection (30mm) and handle projection on model 65 (40mm) not included

** NB. Cash ratings are advisory and should always be confirmed by your insurer

*** Drop off delivery to a kerbside location

Base fixing option

Fittings Supplied	Tray	Shelf
Size 15	1	–
Size 25	1	–
Size 40	1	1
Size 65	–	2



MODEL SHOWN: DUPLEX 550 KL

DUPLEX

FIRE-RESISTANT DOCUMENT CABINET – 60 MINUTES £4,000 CASH RATING



KEY FEATURES

- Combined fire and burglary resistance for documents in your office place
- Certified by ECB•S according to EN 15659, Level LFS 60 P for up to 60 minutes fire protection of documents
- Certified by ECB•S according to EN 14450, Level S2 for burglary protection
- Anchor points in the base to fix the cabinet to the floor
- Low-height model designed for under the window installation
- Meets police approved standards
- Internal ladder racking system for flexible positioning of the fittings
- EN 1300 Class A certified key lock fitted as standard
- Choice of 3 sizes ranging from 446 to 773 litres with double doors on all models
- Optional internal fittings: removable shelf, pull-out file frame - read more on page 45
- Shelves are designed to accept A4 suspension files
- Attractive light grey appearance (RAL 7035)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Internal Volume (litres)	Weight (kg)	Fittings (Supplied) Shelf	Fire Rating (mins)	Cash Rating	Retail Price	Drop Off Delivery Price**	Delivery & Position Price
Height	Width	Depth*	Height	Width	Depth									
Key Lock														
450	1200	1250	585	1030	1110	390	446	440	2	60	£4,000	£2,822	£165	£230
550	1950	940	585	1760	800	390	550	460	4	60	£4,000	£3,068	£95	£230
775	1950	1250	585	1785	1110	390	773	650	4	60	£4,000	£4,100	£200	£280

* Projection of handle (40mm) not included

** Drop off delivery to kerbside location

Base fixing option

Additional Fitting	Shelf	Pull-out File Frame
450	£75	£226
550	£62	£203
775	£75	£226

Specifications for optional fittings are available on page 45



MODEL SHOWN: DOCUMENT PROTECTION CABINETS 400W

DPC

FIRE-RESISTANT DOCUMENT CABINET – 120 MINUTES UP TO £1,000 CASH RATING



KEY FEATURES

- High-capacity storage solution with fire protection, ideal for office environments such as banks and financial institutions
- Certified by Underwriter's Laboratories according to UL 72 Class 350 for up to 120 minutes fire protection
- Automatic mechanism to ensure bolts are in place and able to resist fire whenever the door is closed
- Interlocking door system on double door models to prevent the safe from being left open
- Anchoring kit to fix the cabinet to the floor and prevent from unauthorised removal
- EN 1300 Class A certified key lock fitted as standard
- Dual locking or single electronic or manual combination locks available at additional costs
- Optional internal fittings: removable shelf, pull-out file frame, pull-out tray, lockable drawer, lockable cupboard - read more on page 44
- Shelves are designed to accept A4 suspension files
- Attractive light grey finish (RAL 7035) with dark grey facia (RAL 7016)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Volume (litres)	Weight (kg)	Standard internal fittings	Fire Rating (mins)	Cash Rating***	Retail Price	Drop Off Delivery Price****	Delivery & Position Price
Height	Width*	Depth*	Height	Width**	Depth									
160	859	759	605	700	600	382	160	235	1 shelf	120	£1000	£1,240	£68	£131
240	1209	759	605	1050	600	382	240	315	2 shelves	120	£1000	£1,565	£68	£162
400W	1209	1160	605	1050	1000	382	401	500	2 shelves	120	£1000	£2,289	£139	£216
320	1559	759	605	1400	600	382	321	395	3 shelves	120	£1000	£2,095	£68	£162
400T	1909	759	605	1750	600	382	401	470	4 shelves	120	£1000	£2,089	£68	£177
670	1909	1160	605	1750	1000	382	670	650	4 shelves	120	£1000	£3,114	£139	£216

* Projection of hinge (27mm) and projection of handle (54mm) not included ** Width excluding shelf racking strips. Racking reduces the internal width by 10mm *** NB. Cash ratings are advisory and should always be confirmed by your insurer **** Drop off delivery to a kerbside location Base fixing option

Fitting	Shelf	Pull-out Frame	Lockable Cupboard	Full Width Drawer	Pull-out Tray
160	£42	£76	£350	£195	£87
240	£42	£76	£350	£195	£87
400W	£56	£86	£350	£311	£101
320	£42	£76	£350	£195	£87
400T	£42	£76	£350	£195	£87
670	£56	£86	£350	£311	£101

Lock	Electronic Basic - 2 users	Electronic Pro - up to 9 users	Mechanical Combination
All sizes	£388	£495	£205

Specifications for optional fittings are available on page 44



CS 300 SERIES

FIRE-RESISTANT DOCUMENT CABINET – 120 MINUTES

KEY FEATURES

- Ergonomic storage solution constructed with high quality materials
- Certified by ECB-S according to EN 1047-1 for up to 120 minutes fire protection of documents
- Wide range of internal fittings to suit diverse storage requirements.
- Light-grey stylish design suitable for most office environments
- Available in two sizes
- Key lock fitted as standard
- Alternative locking options available on request
- Optional internal fittings: adjustable shelf, pull-out shelf, pull-out file frame, lockable cupboard, data insert - read more on page 44
- Attractive light grey appearance (RAL 7035)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Weight (kg)	Volume (litres)	Locking	No. of Lever Arch Files**	Fittings Supplied	Fire Rating (mins)	Retail Price	Drop Off Delivery Price***	Delivery & Position Price
CS 302	1403	890	640	1203	750	418	423	377	Key Lock	30	Empty	120	£4,138	£68	£230
CS 304	1965	1250	688	1768	1110	470	791	922	Key Lock	75	Empty	120	£6,534	£258	£360

* Projection of handle (65mm) not included

** Lever Arch width 75mm

*** Drop off delivery to a kerbside location

Lock	Two Key Locks	Mechanical Combination	Electronic
All sizes	£177	£205	£411

Fitting	Fixed Shelf	Pull-out Shelf	Pull-out A4 File Frame	Lockable Cupboard	Data Insert
CS 302	£42	£124	£197	£342	£1,096
CS 304	£49	£166	£315	£646	£1,096

Specifications for optional fittings are available on page 44



MODEL SHOWN: DATAGUARD NT 80 KL



DATAGUARD NT

FIRE-RESISTANT DATA MEDIA SAFE – 120 MINUTES

KEY FEATURES

- Fire-resistant safe for data media protection
- Certified by SP Technical Research Institute of Sweden according to NT Fire 017 – 120 Diskette for up to 120 minutes data media fire protection
- Easy slam action closing for full fire protection without the door being locked
- Lock options:
 - Key lock
 - Programmable electronic lock
- Optional internal fittings: adjustable shelf, drawer - read more on page 44
- Attractive light grey finish (RAL 7035) with dark grey facia (RAL 7016)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Internal Volume (litres)	Weight (kg)	Fittings		Fire Rating (mins)	Retail Price	Drop Off Delivery Price*	Delivery & Position Price
	Height ¹	Width	Depth ¹	Height ²	Width ²	Depth			Shelf	Drawer				
Key Lock														
25	530	546	566	280	346	306	30	145	1	0	120	£920	£68	£124
40	700	546	566	450	346	306	48	190	1	1	120	£1,120	£68	£130
80	1025	546	590	775	346	330	89	263	1	2	120	£1,412	£68	£154
120	1025	702	590	775	502	330	128	330	1	2	120	£1,679	£68	£162
Electronic Lock														
25	530	546	566	280	346	306	30	145	1	0	120	£954	£68	£124
40	700	546	566	450	346	306	48	190	1	1	120	£1,137	£68	£130
80	1025	546	590	775	346	330	89	263	1	2	120	£1,476	£68	£154
120	1025	702	590	775	502	330	128	330	1	2	120	£1,740	£68	£162

¹External heights and depths include plinth and handle projection

²Internal heights and widths are also equal to the clear opening measurements

Base fixing option

* Drop off delivery to a kerbside location

Additional Fitting	Shelf	Drawer
25	£40	£132
40	£40	£132
80	£41	£154
120	£52	£181



Specifications for optional fittings are available on page 44



MODEL SHOWN: DATAPLUS+ 1 KL

DATAPLUS+

FIRE-RESISTANT DATA MEDIA SAFE – 120 MINUTES
£4,000 CASH RATING



KEY FEATURES

- Combined fire and burglary protection for data media in office environments
- Certified by ECB-S according to EN 14450, Level S2 for burglary protection
- Certified by ECB-S according to EN 1047-1 for up to 120 minutes data media fire protection
- Tested by Underwriter's Laboratories according to UL 72
- Low weight barrier material that optimises cost, transport and installation
- Meets police approved standards
- Easy slam-action emergency closing
- Anchor point to prevent unauthorised removal
- Single key lock fitted as standard. Electronic and mechanical combination locks are available at an additional cost
- Optional internal fittings: adjustable shelf, pull-out drawer, lockable cupboard - read more on page 44
- Attractive light grey appearance (RAL 7035)

PRODUCT SPECIFICATIONS

Model	External dimensions (mm)			Internal dimensions (mm)			Internal Volume (litres)	Weight (kg)	Locking	Fire Rating (mins)	Cash Rating	Retail Price	Drop Off Delivery Price**	Delivery & Position Price
	Height	Width	Depth*	Height	Width	Depth								
Size 1	911	746	780	565	490	400	111	315	Key Lock	120	£4,000	£3,521	£68	£175
Size 2	1191	746	780	845	490	400	167	390	Key Lock	120	£4,000	£4,005	£68	£175
Size 3	1471	746	780	1125	490	400	221	490	Key Lock	120	£4,000	£4,600	£68	£192
Size 4	1941	746	780	1595	490	400	313	640	Key Lock	120	£4,000	£5,987	£139	£234
Size 5	1941	1036	830	1570	780	450	556	860	Key Lock	120	£4,000	£7,260	£139	£300

* Projection of handle (65mm) not included

** Drop off delivery to a kerbside location

Base fixing option

Fitting	Fixed shelf	Pull-out drawer with adjustable dividers	Lockable cupboard	Mechanical Combination	Electronic Basic - 2 Users	Electronic Pro - Up to 9 Users
Size 1	£42	£179	£323	£205	£388	£495
Size 2	£42	£179	£323	£205	£388	£495
Size 3	£42	£179	£323	£205	£388	£495
Size 4	£42	£179	£323	£205	£388	£495
Size 5	£65	£225	£545	£205	£388	£495

Specifications for optional fittings are available on page 44



MODEL SHOWN: 2000C SAFE DEPOSIT LOCKERS



2000C & 3000F SDL

SAFE DEPOSIT LOCKERS

SUITABLE FOR BANKS, HOTELS & INDEPENDENT LOCKER RENTAL COMPANIES

KEY FEATURES

- Dual control locking mechanism
- Each locker is secured by client lock 32A81S, second lock is custodian controlled. 32A81S lock can be supplied in brass or chrome finish
- For locking and attack resistance, locks are certified to EN 1303:2005
- Lockers are 35mm steel "sandwich construction" with 27mm deep bolts
- Can be upgraded to Gunnebo's unique semi automated box access/management system*. All columns are supplied pre-wired for this function as standard
- Fast and easy to install
- Unique security design

INNER CONTAINERS

- Fibre inner container supplied as standard
- Steel finish available as an optional extra

NUMBERING

- Numbering as per customer's requirements

TOTAL SECURITY

- Safe deposit lockers can be integrated into a vault room which is secured by a vault door for extra security
- 2000C SDLs are certified to SBSC standard No. 10-516
- Manufactured in accordance with the ISO 9001 quality management system and the ISO 14001 environmental management system

LOCKER GROUPS



- Locker columns available in three heights as standard
- Special column height dependent on locker quantity available on request
- Numerous configurations to suit all customer requirements available, using standard column heights and locker heights (50–650mm)

FINISH

- 2000C – easy to clean powder coated paint finish to RAL number of choice, providing some resistance to scratches
- 3000F – stainless steel finish

* SAFE CONTROL ACCESS/MANAGEMENT SYSTEM


- Smoother locker rental and service for customers. Features include customer registration and pricing
- Real time information eg. locker availability
- Access management – options include swipe card and pin number
- Events history
- Offsite management – using safe control, guardian locks can be deactivated remotely
- Database of client information



Manufactured by Gunnebo and supported in the UK by our team of service engineers on call 24/7
 For further information please contact the Gunnebo sales department on 01902 455111



CENTURION VAULT



BURGLARY-RESISTANT MODULAR VAULT


KEY FEATURES

- Optimum protection for high value assets
- Consists of modular panels which are assembled together using a welded or bolted method of construction
- Tested and certified by the ECB+S to the latest security standard, EN 1143-1
- Can be integrated into various environments (for example new buildings, existing buildings and to strengthen strong room units)
- Can be designed on a bespoke basis, to suit any shape or size, subject to a full and comprehensive site survey
- Available in a range of security grades
- Certified explosive protection available on request for Grades V - VIII
- Certified explosive and core drill protection available on request for grades IX - XII


PRODUCT SPECIFICATIONS

Grade	Wall Panel Thickness (mm)	Net Weight (kg/m ²)	Max Span 100 kp/m ²	Retail Price	Delivery & Installation Price
IV	75	245	5000	POA	POA
V	75	245	5000	POA	POA
V	85	280	5000	POA	POA
VI	85	280	5000	POA	POA
VII	85	280	5000	POA	POA
V	100	320	5000	POA	POA
VI	100	320	5000	POA	POA
VII	100	320	5000	POA	POA
VIII	100	320	5000	POA	POA
IX	125	400	5250	POA	POA
IX CD	125	400	5250	POA	POA
X	150	470	5200	POA	POA
X CD	150	470	5200	POA	POA
XI	220	660	5060	POA	POA
XI CD	220	660	5060	POA	POA
XII	280	830	4960	POA	POA
XII CD	280	830	4960	POA	POA

CD denotes protection against diamond core drill bits



CENTURION DOOR



BURGLARY-RESISTANT MODULAR VAULT DOORS

KEY FEATURES

- Optimum protection for high value assets
- Consists of a door frame, grille gate and the main strong room door
- Tested and certified by the ECB-S to the latest security standard, EN 1143-1
- Grades V–X are fitted with one key lock and one combination lock as standard. Grades XI–XII have an additional combination as standard and Grade XIII is only available with electronic locks (Class D)
- Can be customised with locking and alarm options to meet your specific security needs
- Certain lock options can be integrated with access control
- Available in a range of security grades
- Certified explosive and core drill protection available on request

PRODUCT SPECIFICATIONS

Grade	Number of Bolts	Net Weight (kg)	Frame Depth (mm)	Clear Opening H x W (mm)	Retail Price	Delivery & Installation Price
V	6	1500	230	1960 x 900	POA	POA
V EX	6	1700	290	1960 x 900	POA	POA
VI	6	1500	230	1960 x 900	POA	POA
VI EX	6	1700	290	1960 x 900	POA	POA
VII	6	1500	230	1960 x 900	POA	POA
VII EX	6	1700	290	1960 x 900	POA	POA
VIII	6	1700	290	1960 x 900	POA	POA
VIII CD	6	1700	290	1960 x 900	POA	POA
VIII CD EX	6	1700	290	1960 x 900	POA	POA
IX	6	1700	290	1960 x 900	POA	POA
IX CD	6	1700	290	1960 x 900	POA	POA
IX CD EX	6	1700	290	1960 x 900	POA	POA
X	6	3000	415	1960 x 900	POA	POA
X CD	6	3000	415	1960 x 900	POA	POA
X CD EX	6	3000	415	1960 x 900	POA	POA
XI	6	3000	415	1960 x 900	POA	POA
XI CD	6	3000	415	1960 x 900	POA	POA
XI CD EX	6	3000	415	1960 x 900	POA	POA
XII	10	3500	415	1960 x 900	POA	POA
XII CD	10	3500	415	1960 x 900	POA	POA
XII CD EX	10	3500	415	1960 x 900	POA	POA
XIII	10	7000	615	1960 x 900	POA	POA
XIII CD	10	7000	615	1960 x 900	POA	POA
XIII CD EX	10	7000	615	1960 x 900	POA	POA


CD denotes protection against diamond core drill bits
EX denotes protection against explosives



MODEL SHOWN: MODULEGUARD

MODULEGUARD

LIGHTWEIGHT SECURITY ENCLOSURE



KEY FEATURES

- ModuleGuard security enclosures are certified Grade II–III by ECB•S in accordance with the EN 1143-1 certification for burglary resistance
- ModuleGuard door can also be supplied with embrasure as single item to suit wall thickness min 200mm
- The lightweight panels reduce transportation costs, ease installation and allow for placement higher up in buildings where floor loads are limited
- Possible applications include reinforced protection for cash-counting rooms, archives and storerooms
- ModuleGuard has also been granted level RC4 according to the EN 1627-30 standard. It has also undergone a certified ballistics test and has been certified level FB4 in accordance with EN 1522
- Finished in prime painted steel as standard
- 11mm diameter cable holes can be positioned to suit providing they meet certification requirements

PRODUCT SPECIFICATIONS

Doors	Clear Opening H x W (mm)	Net Weight (kg)	Retail Price	Embrasure less than 280mm	Delivery & Installation
Grade II / III	2055 x 750	690	POA	POA	POA
Grade II / III	2055 x 900	830	POA	POA	POA
Grade II / III	2055 x 1050	970	POA	POA	POA
Grade II / III	2055 x 1200	1110	POA	POA	POA
Grade II / III	2055 x 1350	1250	POA	POA	POA
Grade II / III	2055 x 1500	1380	POA	POA	POA

Door supplied with 1 x Class B key lock as standard. Other locking options are available POA

Panels	Standard Width (mm)	Thickness (mm)	Max Panel Length* (mm)	Net Weight (kg/m ²)	Retail Price	Delivery & Installation
Grade II	300	75	3945	123	POA	POA
Grade II	600	75	3945	246	POA	POA
Grade II	750	75	3945	308	POA	POA
Grade III	300	75	3945	128	POA	POA
Grade III	600	75	3945	256	POA	POA
Grade III	750	75	3945	320	POA	POA

* Without support structure

WARRANTYPLUS

MODEL	RATING	5 YEAR WARRANTYPLUS
HOMESAFE	S2	£159.00
FORCEGUARD	N/A	£152.00
ZETA	Grade 0	£158.00
SENATOR	Grade I	£203.00
DUOGUARD	Grade I	£216.00
PROGUARD DT	Grade I	£268.00
SOVEREIGN DT	Grade I	£228.00
PROGUARD	Grade II	£287.00
PROGUARD DT	Grade II	£325.00
PROGUARD	Grade III	£373.00
SOVEREIGN DT	Grade III	£334.00
CUSTODIAN	Grade IV	£547.00
TRIDENT	Grade IV	£547.00
CUSTODIAN	Grade V	£714.00
TRIDENT	Grade V	£714.00
SOVEREIGN DT	Grade V	£776.00
TRIDENT	Grade VI	£801.00

MODEL	FRE - RATING	5 YEAR WARRANTYPLUS
EXECUTIVE	60 mins Paper	£58.00
FIREFILES	60 & 120 mins Paper	£148.00
ARCHIVE CABINETS	30 mins Paper	£148.00
DPC	120 mins Paper	£223.00
DUPLEX	120 mins Paper / S2	£413.00
CS CABINETS	120 mins Paper	£544.00
DATAGUARD	120 mins Data	£202.00
DATAPLUS	120 mins Data	£548.00

Protect your product for 5 years under the Chubb safes **WARRANTYPLUS** agreement

Telephone Support Coverage 08:30 - 17:30 Mon - Fri

Engineer Call-out Coverage 08:30 - 17:30 Mon - Fri

Engineer Call-out Free

Engineer Call-out Response Time 3 working days

Parts Value Free

On-Site Engineer Health Check Free
(when term ends)


Dedicated Service Team Centre 0370 600 6665

Terms & Conditions


1. Customer must be available to troubleshoot and provide 'hands & eyes' to enable remote diagnostics and technical support in all instances before an engineer is scheduled.
2. A fee will apply due to the following: User error; Training or operator guidance; Wilful damage or third party abuse of product; Misuse or neglect, including replacement of consumables (e.g. batteries) or; Force openings caused by any of the above.
3. Warranty does not extend to incidents of force majeure including (but not limited to) fire, flood, theft, vandalism or breakage caused by accident.
4. Extended warranty may be cancelled and refunded in full if cancelled within 14 days of purchase.

OPTIONAL FITTINGS


ARCHIVE CABINET




CS 300




DATAGUARD NT




DATAPLUS+




DPC




DUOGUARD & PROGUARD




REMOVABLE SHELF
20mm High
All sizes




EXTENDABLE SHELF
37mm High
Sizes 110 - 450




FULL WIDTH DRAWER
100mm High
Sizes 110 - 450




LOCKABLE CUPBOARD
335mm High
Sizes 110 - 450



PULL-OUT FILE FRAME
37mm High
Sizes 110 - 450




DATA MEDIA INSERT
DUOGUARD ONLY
364mm High
Sizes 110 - 450




HEAVY DUTY SHELF
20mm High
Sizes 40 - 450

DUPLEX



REMOVABLE FILING SHELF




PULL-OUT FILE FRAME

SOVEREIGN DEPOSIT




RETAINING SHELF




RETAINING CUPBOARD


TRIDENT / CUSTODIAN




REMOVABLE SHELF
Sizes 110-600




REINFORCED SHELF
Sizes 110-1120



LOCKABLE DRAWER
Sizes 210 - 600



LOCKABLE COMPARTMENT
200mm High
Sizes 170 - 600



LOCKABLE COPARTMENT
400mm High
Sizes 170 - 420

TERMS & CONDITIONS

Preamble

1. Our Terms & Conditions shall apply in all instances. Gunnebo reserves the right, at any time, to modify, alter, or update the terms of use, product prices and product information and you agree to be bound by such modifications, alterations, or updates on subsequent visits. Your placement of an order indicates your acceptance of these terms and conditions.

Definitions

2. For the avoidance of doubt, the following expressions shall (unless the context otherwise admits) have the following meanings:
 - i. "Contract" shall mean the written agreement between the two parties concerning performance of the Works, encompassing the tender enquiry, subsequent submission and agreement of any pricing considerations made therein;
 - ii. "Contract Sum" shall mean the value of Gunnebo's works, based upon Gunnebo's tender submission, subject to any variances, to be ascertained and paid in accordance with the provisions hereinafter;
 - iii. "Customer" shall mean the party to whom Gunnebo are directly contracted; an end user Client, Main Contractor or Sub-Contractor;
 - iv. "Gunnebo" shall mean Gunnebo UK Ltd or their designated representatives;
 - v. "Works" shall mean the equipment and resources necessary to enable the completion of the Contract;
 - vi. "Equipment" shall mean all materials pertinent to the tender submission, subject to any variances, and necessary plant, solely for our use, to facilitate the Works;
 - vii. "Delivery Period" shall mean the length of time required to facilitate design and manufacture of equipment necessary for the completion of the Works;
 - viii. "Site" shall mean the place where the Works are to take place, including an allowance of space for any necessary unloading, safe storage and consideration for efficient transportation of equipment;
 - ix. "In Writing" shall mean communication by document signed by the parties, or by letter, facsimile, and electronic mail;
 - x. "Gross Negligence" shall mean an act or omission implying a failure to pay due regard to serious consequences, which a conscientious party would normally foresee as likely to ensue.

Product Information

3. All information and data generated during the tender process are binding only to the extent that they are by reference expressly included in the Contract.

Intellectual Property

4. All drawings and technical information relating to the Works shall remain the property of the submitting party. Drawings and technical information received by one party shall not, without the consent of the other party, be used for any other purpose than that for which they were provided. They may not, without the consent of the submitting party, otherwise be used or copied, reproduced, transmitted or communicated to a third party.
5. Where, under a separate contract, it is a contractual requirement of the Customer's to provide their customer with an Operational and Maintenance Manual, Gunnebo reserve the right to charge for this service.

Quality Assurance

6. Should the need arise for either the Customer to inspect equipment prior to dispatch, a request In Writing would be necessary a minimum of 72 hours before any proposed visit. Unless otherwise agreed, any inspection would be at the place of manufacture, during normal working hours. Any tests undertaken will be carried out in accordance with general practice in the appropriate branch of industry concerned in the country of manufacture. All costs associated with an inspection visit are to be borne solely by the Customer.
7. Records of Quality Inspections are maintained by Gunnebo and can be provided, on receipt of a request In Writing.

Preparatory Work

8. Gunnebo will provide information in good time, detailing the manner in which equipment will be installed and offer the Customer advice to aid their preparation of suitable foundations, access requirements and interfacing with others, where necessary.
9. The Customer shall recognise the limitations of Gunnebo's responsibilities and ensure that all preparatory work outside of Gunnebo's remit is completed in time for the commencement of the Works.
10. Gunnebo will conform to the Customer's site induction procedures. Should this be required to take place prior to commencement, Gunnebo reserve the right to charge for

this provision.

11. Gunnebo operatives will be provided with a project specific method statement and risk assessments pertinent to the environment that they will face.
12. The Customer shall provide welfare facilities free of charge for the use of Gunnebo operatives, available from the date of commencement and throughout the duration of the Works.
13. The Delivery Period shall commence once Gunnebo are in receipt of all pertinent information. The duration of this period will be governed by capacity in production and completeness of information received.
14. The date of commencement will be determined by the duration of the Delivery Period. Should information prove to be incomplete, Gunnebo shall identify the remedial action required by the Customer. Gunnebo may endeavour to furnish the Customer with indicative timescales, but will not commit to a date of commencement until all outstanding matters are resolved.
15. Due to the manner with which Gunnebo commencement is determined, Gunnebo shall not be held liable for any conflict between the date of commencement and any target of the Customer.

Impact on Commencement or Continuity

16. If the Customer anticipates that the fulfilment of their obligations will delay the completion of the Works; whether this manifests as a delay to commencement or leads to Gunnebo's progress being hampered; the Customer shall notify Gunnebo In Writing, stating the reason and, if possible, the time when they will be able to comply with their obligations. The amount of time permitted to Gunnebo for the completion of the Works shall be automatically extended accordingly. Gunnebo shall endeavour to provide timely advice as to the impact upon duration and cost, and seek amendment of the Contract Sum, where applicable.
17. Without prejudice to Gunnebo's rights elsewhere in this document, if the Customer fails to fulfil, correctly and timely, his obligations necessary for completion of the Works, the following remedies shall apply:
 - i. If the equipment has not been delivered to Site, Gunnebo shall arrange for temporary storage at the Customer's risk and cost;
 - ii. The element of the Works completed shall be valued accordingly and the Customer shall pay any part of the Contract Sum which, but for such delay, would have become due;
 - iii. Gunnebo may suspend in whole or in part his performance of the Contract. Notice to the Customer shall be raised forthwith In Writing;
 - iv. The Customer shall reimburse Gunnebo for any costs which are reasonably incurred as a result of measures undertaken to mitigate the situation.
18. Should the Customer's inability to fulfil their obligations not be attributable to Force Majeure, Gunnebo may, by notice In Writing, require the Customer to remedy the default within a determined and reasonable period. If, for any reason, the Customer fails to remedy the default within such period, Gunnebo may, by notice In Writing, terminate its employment under the Contract. Gunnebo shall then be entitled to compensation for the losses incurred as a result of the Customer's default. The compensation shall not exceed the Contract Sum.

Variations

19. During the currency of the Contract and subject to provisions elsewhere in this document, Gunnebo will act upon requests In Writing from the Customer, to vary the scope, design and construction of the Works.
20. To minimise impact upon the overall duration of the Works, the Customer shall ensure that any request contains an exact description of the variation required.
21. As soon as possible after receipt of a request for a variation, Gunnebo shall notify the Customer In Writing whether it is possible to conform with the request. Should the request fall within Gunnebo's sphere of expertise, then Gunnebo shall advise In Writing the value of such work and the extent of the impact upon the overall duration of the Works, assuming continuity can be achieved. The amount of time permitted to Gunnebo for the completion of the Works shall be automatically extended accordingly, with the Contract Sum amended, as applicable.
22. Gunnebo shall not be obliged to carry out variations required by the Customer until either the parties have agreed on how the variations will affect the Contract Sum, the time for completion and other terms of the Contract, or the dispute has been settled through Adjudication or Arbitration.
23. If completion of the Works is delayed as a result of

disagreement between the parties on the consequences of variations, the Customer shall pay any part of the Contract Price which would have become due if the Works had not been delayed.

Commissioning

24. Where specifically requested at the moment of enquiry, commissioning tests shall be carried out to determine whether the equipment is fit for purpose.
25. The Customer shall provide free of charge any power, lubricants, water, fuel, raw materials and other materials or equipment to enable such tests.
26. Any such tests shall be carried out during normal working hours, conducted in accordance with general practice in the appropriate branch of industry.
27. If the commissioning tests show the Works not to be in accordance with the Contract, Gunnebo will within a determined and reasonable period remedy any deficiencies.
28. The Customer is not entitled to use the Works or any part thereof before commissioning. If the Customer does so without Gunnebo's consent In Writing, he shall be deemed to have taken over the Works. Gunnebo shall then be relieved of their duty to carry out such tests.

Completion

29. The Works shall be considered complete when either the commissioning has proved equipment to be fit for purpose or the Client has begun making use of equipment.
30. If Gunnebo anticipates that they will not be able to comply with their obligations within the times specified in the Contract, they shall forthwith notify the Customer thereof In Writing, stating the reason, and, if possible, when compliance can be expected. If Gunnebo fails to give such notice, the Customer shall be entitled to compensation for certain additional costs which will be incurred and which could have been avoided had such notice been received.
31. Should there be no reasonable entitlement to an extension of time great enough to accommodate for the eventual completion date of the Works; Gunnebo's delay entitles the Customer to liquidated and ascertained damages from the date at which completion should have occurred. Liquidated and ascertained damages shall not exceed 1% of the Contract Sum per week and are capped at a maximum of 10% of the Contract Sum, calculated on a pro-rata basis against the Works. All other claims for compensation against Gunnebo based on such delay shall be excluded, except where Gunnebo has been guilty of Gross Negligence.
32. The liquidated and ascertained damages become due at the Customer's request In Writing but not before commissioning or termination of the Contract.
33. If Gunnebo's delay is such that the Customer has become entitled to the maximum level of damages and the Works are still not completed, the Customer may demand In Writing completion within a final reasonable period which shall not in any event be less than one week. If Gunnebo does not complete the Works within such final period and this is not due to any circumstance for which the Customer is responsible, then the Customer may by notice In Writing to Gunnebo terminate Gunnebo's employment under the Contract.
34. It shall be a condition precedent to the Customer's right to liquidated and ascertained damages that he shall lodge a claim In Writing for such damages within three months after the time when completion should have taken place.
35. Gunnebo shall be entitled to an extension of the time for completion if delay occurs:
 - i. because of any of the circumstances covered under the heading Force Majeure;
 - ii. as a result of variation to the Works;
 - iii. as a result of suspension of the Works;
 - iv. by an act or omission on the part of the Customer;
 - v. by an act or omission on the part of another trade engaged on the same project.
36. The extension of time shall be reasonable having regard to all the circumstances. This provision applies regardless of whether the reason for the delay occurs before or after the agreed time for completion.

Payment

37. Subject to a demonstrable level of credit worthiness, and unless otherwise agreed, payment shall be made within 30 days from the date of the invoice.
38. Each invoice will identify the percentage of equipment on site and installed in relation to the Contract Sum.

39. Should the installation be delayed due to a cause for which the responsibility rests with the Customer or any of their contractors other than Gunnebo, the Customer shall compensate Gunnebo for:
 - i. waiting time and time spent on extra journeys;
 - ii. costs and extra work resulting from the delay, including removing, securing and setting up the installation equipment;
 - iii. additional costs, including costs as a result of Gunnebo having to keep his plant on Site for a longer time than expected;
 - iv. additional costs for journeys and board and lodging for Gunnebo's personnel;
 - v. additional financing costs and costs of insurance;
 - vi. other documented costs incurred by Gunnebo as a result of changes in the installation programme.
40. Should the installation element be measured on a time related basis, all pertinent expense incurred will be incorporated into the Contract Sum.
41. If the Customer fails to pay by a stipulated date, Gunnebo shall be entitled to interest from the day on which payment was due. The rate of interest shall be 8% above the Bank of England base rate at that time when payment was due. In cases of late payment Gunnebo may, after having notified the Customer In Writing, suspend performance of the Contract until payment is received. If the Customer has not paid the amount due within three months, Gunnebo shall be entitled to terminate its employment under Contract by notice In Writing and to claim compensation for the loss.

Retention of Title and Transfer of Risk

42. The equipment shall remain the property of Gunnebo until paid for in full.
43. Gunnebo shall be liable for any damage to the equipment which occurs before the risk has passed to the Customer. This applies irrespective of the cause of the damage, unless the damage has been caused by the Customer or anyone for whom he is responsible in connection with performance of the Contract.
44. Gunnebo shall be liable for damage to the Customer's property occurring before commissioning of the Works only if it is proved that such damage was caused by negligence on the part of Gunnebo or anyone for whom we are responsible in connection with the performance of the Contract. Gunnebo shall, however, under no circumstance be liable for loss of production, loss of profit or any other consequential economic loss.
45. The risk of loss or damage to the equipment shall pass to the Customer on handover or commissioning of the Works, unless such loss or damage results from Gunnebo's negligence.

Product Liability – UK only

46. Gunnebo shall remedy any defect or non-conformity in the Works resulting from faulty design, materials or workmanship. However, we shall not be liable for loss of production, loss of profit or any other consequential economic loss.
47. Gunnebo's liability is limited to defects in the Works which appear within a period of two years from commissioning. Proof of purchase must be provided to Gunnebo. If the daily use of the equipment exceeds that which is agreed, this period shall be reduced proportionately. If commissioning has been delayed for reasons for which the Customer is responsible, Gunnebo's liability for defects shall not be extended beyond 18 months after delivery.
48. The Customer shall without undue delay notify Gunnebo In Writing of any defect which appears. Such notice shall under no circumstance be given later than two weeks after the expiry of the period stated previously. The notice shall contain a description of the defect. If the Customer fails to notify Gunnebo In Writing of a defect within the set time limit, the right to have the defect remedied is lost. Where the defect is such that it may cause damage, the Customer shall immediately inform Gunnebo In Writing. The Customer shall bear the risk of damage resulting from his failure so to notify.
49. Should no defect be found for which Gunnebo is liable, we shall be entitled to compensation for the costs incurred as a result of acting upon the notice.
50. If, within a reasonable time, Gunnebo does not fulfil our obligations, the Customer may, by notice In Writing, fix a final time for completion of Gunnebo's obligations. If Gunnebo fails to fulfil his obligations within such final time, the Customer may himself undertake or employ a third party to undertake necessary remedial works at the risk and expense of Gunnebo. Where successful remedial works have been undertaken by the Customer or a third party, reimbursement by Gunnebo of reasonable costs incurred by the Customer shall be in full settlement of Gunnebo's liabilities for the said defect.

51. In the event of a manufacturing fault occurring Gunnebo must be contacted in the first instance otherwise the product warranty may be invalidated. In addition, Gunnebo cannot be held responsible for incurred costs in the event of a manufacturing fault without our prior consent. Where the defect has not been successfully remedied, Gunnebo offer either of the following remedies:
 - i. The Customer is entitled to a reduction of the Contract Sum in proportion to the reduced value of the Works, provided that under no circumstance shall such reduction exceed 10% of the revised Contract Sum, or;
 - ii. Where the defect is so substantial as to significantly deprive the Customer of the benefit of the Contract, the Customer may terminate Gunnebo's employment under the Contract by notice In Writing to Gunnebo. The Customer is then entitled to compensation for the loss he has suffered up to a maximum of 10% of the Contract Sum.

Force Majeure

52. Either party shall be entitled to suspend performance of their obligations under the Contract to the extent that such performance is impeded or made unreasonably onerous by any of the following circumstances beyond the control of the parties:

industrial disputes, fire, war, extensive military mobilisation, insurrection, requisition, seizure, embargo, restrictions in the use of power.
53. A circumstance referred to in this clause, occurring after the formation of the Contract, shall give a right to suspension only if its effect on the performance of the Contract could not be reasonably foreseen at the time of the formation of the Contract.
54. The party claiming to be affected by Force Majeure shall notify the other party In Writing without delay on the occurrence of any Force Majeure and on the cessation of such circumstance. If Force Majeure prevents the Customer from fulfilling his obligations, they shall compensate Gunnebo for expenses incurred in securing and protecting the Works.
55. Regardless of what might otherwise follow from these General Terms and Conditions, either party shall be entitled to terminate the Contract by notice In Writing to the other party if performance of the Contract is suspended under Force Majeure for more than six months.

Anticipated Non-Performance

56. Notwithstanding other provisions in these General Terms and Conditions regarding suspension, each party shall be entitled to suspend the performance of their obligations under the Contract, where it is clear from the circumstances that the other party will not be able to perform his obligations. A party suspending their performance of the Contract shall forthwith notify the other party thereof In Writing.

Consequential Loss

57. Save as otherwise stated in these General Terms and Conditions there shall be no liability for either party towards the other party for loss of production, loss of profit, loss of use, loss of contracts or for any other consequential or indirect loss whatsoever.

Settlement of Disputes

58. In the event that an adjudicator has not been nominated during the formulation of the Contract, any dispute or difference arising under out of or in connection with these General Terms & Conditions may be referred to adjudication at anytime to an adjudicator nominated by the president or vice-president for the time being of the Chartered Institute of Arbitrators and shall be conducted in accordance with the Scheme for Construction Contracts (England & Wales) Regulation 1998 SI No 649 or any amendment or re-enactment thereof. The Adjudicator's decision shall be final and binding on the parties until the dispute of difference is finally determined either by agreement between the parties or the courts.

Governing Law and Jurisdiction

59. These General Terms & Conditions shall be governed by and construed in all respects in accordance with the laws of England and Wales, and the English Courts shall have jurisdiction with regard to all matters arising from these General Terms & Conditions.

Severability

60. If any condition, clause or provision of these General Terms & Conditions is held to be illegal or unenforceable, it may be severed and the validity or enforceability of the remainder of these General Terms & Conditions shall not be affected thereby.

Third Party Rights

61. Notwithstanding any other provision of these General Terms & Conditions, nothing in these General Terms & Conditions confers or purports to confer any right to enforce any of its terms on any person who is not a party to it and the provisions of the Contracts (Rights of Third Parties) Act 1999 shall be of no effect in respect of the Agreement.

Construction Industry Scheme

62. Gunnebo shall provide the Customer with its unique taxpayer reference number and company registration number in sufficient time to allow the Customer to verify Gunnebo's payment status for the purposes of Chapter 3 of Part 3 of the Finance Act 2004 and the Income Tax (Construction Industry Scheme) Regulations 2005. Gunnebo warrants that at the date of this Contract it is registered for gross payment under section 63(2) of the Finance Act 2004 and that it shall remain registered for gross payment until all payments under this Contract have been made.

CDM Regulations

63. Gunnebo shall comply with the Health and Safety at Work Act 1974, the Factories Act 1961, the Offices, Shops, Railway Premises Act 1963, the Management of Health and Safety at Work Regulations 1992 and The Construction (Design and Management) Regulations 2007 (CDM) and amendments and regulations made under or thereto.

Return Policy

64. We appreciate that there may well be a time when a purchase may not prove to be of satisfaction and a refund will be sought. Should a customer wish to return a product from our standard safe range, the following conditions shall apply:
 - Gunnebo will only accept returns within seven (7) days of delivery;
 - Goods shall be returned to Gunnebo point of dispatch, as identified on the proof of delivery notice and invoice;
 - A re-stocking charge, equal to 25% of the Contract Sum will apply.
 - Any postage and packing costs incurred on returned items are non-refundable.

The returned product must be in a condition that can only be described "as new" and securely packaged with the original packaging or a suitable alternative of similar quality;

Any and all manuals and accessories must be returned in conjunction with the product.

With the above criteria having been satisfied, a refund will be issued, minus our outgoing delivery cost.

Delivery & Installation

65. Where 'Delivery' is priced in this Selection Guide this is drop off only and does not include base fixing or positioning.
66. All products have a separate delivery and position or delivery and base fixing price. This price includes delivery to ground floor or upper floor (via a lift) with clear access. Ground floor is defined as level with pavement and no external steps. Delivery must occur during the working day hours of 8.30am – 5.30pm. Delivery outside these hours will incur an additional cost (POA). Gunnebo can also remove and dispose of your old safe/cabinet after delivering your new product (POA).

Delivery location

67. Delivery charges are for within mainland UK. However, certain postcodes are considered geographic extremities (Northern Ireland, Isle of Man, Channel Islands, Scottish Islands, Scilly Islands). Gunnebo can deliver to these locations and outside the UK at an additional cost.

Prices

68. The full price of your product and delivery will be shown on your order acknowledgement.

Authorised dealer

ITS Security
Units 1,2&4 The Granaries
Nuttys Farm, Childerditch Lane,
Little Warley, Brentwood
Essex, CM13 3EH

Tel: 0300 303 2536
Email: sales@itsecurity.co.uk

www.chubbsafes.com

Gunnebo UK Ltd
Fairfax House
Pendeford Business Park
Wobaston Road
Wolverhampton
West Midlands
WV9 5HA
United Kingdom
Phone: +44 (0) 1902 455111
Fax: +44 (0) 1902 351961
enquiries.uk@gunnebo.com
www.gunnebo.co.uk

BY **GUNNEBO®**

Chubbsafes
Trusted the world over.